





























- » Extra Large Panoramic Window Package in Main Slide
- » SolidStep Triple Step (Main Door
- Only) (N/A 36BHDS, 37BHSS20)
- » Large Capacity 10.7 cu ft Stainless Steel Refrigerator (12-volt)
- » Accent Lighting Package (Awning & Over Main Slide-Out)
- » Seamless Countertops (No T-Mold)
- » 20.3 cu ft of Stow N Go Storage (Bed, Dinette & Sofa) (22RBS 17 cu. ft.) » Slide-Out Awning Prep
- » Green Pkg: Furrion Solar Prep &

- » Modern Cloth Roller Shades w/ AutoStop
- » Power Awning w/Adjustable Legs
- » Power Tongue Jack w/LED Light
- » True Stabilizer Jacks w/ JT StrongArms
- » 30" Built-In Electric Fireplace (Heater)
- » (2) Zone Residential Soundbar
- (FM,Bluetooth, HDMI & USB) » Ext. Convenience Pkg: Friction
- Hinge & Baggage Door Magnets » Stainless Steel Roll Up Sink Cover

- » WiFi Prep
- » Black Tank Flush
- » Designated CPAP Storage















	22RBS	26DBUD	27RE	27RKS	28VFK	29VBUD	30KQBSS	31KQBTS	32BHDS	32BHT	32RLDS	33TS	36BHDS	36VBDS	37BHSS2Q
HITCH WEIGHT:	783 lb.	824 lb.	955 lb.	905 lb.	1000 lb.	910 lb.	899 lb.	905 lb.	859 lb.	1080 lb.	980 lb.	1088 lb.	1015 lb.	1155 lb.	970 lb.
UVW:	5743 lb.	6988 lb.	7583 lb.	6798 lb.	6968 lb.	7560 lb.	6943 lb.	8573 lb.	7993 lb.	9088 lb.	8528 lb.	9276 lb.	8363 lb.	8533 lb.	7659 lb.
CCC:	2040 lb.	2636 lb.	2332 lb.	1107 lb.	2832 lb.	2150 lb.	2756 lb.	1292 lb.	1826 lb.	2192 lb.	1412 lb.	2012 lb.	1612 lb.	1582 lb.	2271 lb.
EXTERIOR LENGTH:	26′10″	33' 2"	33'6"	33'7"	34'4"	36' 4"	33' 0"	36' 6"	35′ 8″	37' 6"	38'0"	38' 9"	38' 8"	38'9"	39'0"
EXTERIOR HEIGHT:	11' 2"	11' 2"	11′ 5″	11' 2"	11'2"	11' 2"	11' 2"	11' 3"	11' 2"	11'7"	11' 2"	11' 7"	11' 2"	11' 2"	11' 2"
EXTERIOR WIDTH:	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
FRESH WATER:	40 gal.	39 gal.	39 gal.	39 gal.	40 gal.	39 gal.									
GRAY WATER:	60 gal.	60 gal.	57 gal.	54 gal.	57 gal.	60 gal.	57 gal.	54 gal.	57 gal.	57 gal.	27 gal.	54 gal.	27 gal.	27 gal.	30 gal.
BLACK WATER:	30 gal.	30 gal.	38 gal.	30 gal.	30 gal.	30 gal.	27 gal.	27 gal.	30 gal.	38 gal.	27 gal.	30 gal.	38 gal.	38 gal.	27 gal.
AWNING SIZE:	16′	18'	11' & 9'	16′	14'	18'	18'	18'	18'	11' & 9'	18'	18'	18'	18'	18'

SALEM PRODUCT FAMILY



TOWING
JUMP-STAR
TIRE CHANG

24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**

CUSTOMER SATISFACTION





www.Forest River Buy Local.com





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product.

This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1609 P/W: 2019.01.22

MEET YOUR SALEM DEALER