SOUTUDE











— AND —







The Solitude has been third-party tested in extreme outdoor conditions. The heating and cooling system passed with flying colors – delivering comfortable and even room temperatures from cap to rear.

Note: Testing was performed in a temperature controlled chamber and does not account for variables such as wind, humidity, and altitude.



MAXIMUM INSULATION

1 THERMAL ROOF DESIGN

R-40

Fiberglass insulation and a layer of radiant foil insulation cover the roof. Grand Design goes further by extending both insulation layers the full length of the roof and around to the bottom of the front cap. To maximize the effectiveness of the insulation, a vented attic allows condensation to escape the roof structure.

EXCLUSIVE COMBINATION!

2 FULLY LAMINATED WALLS



Sidewalls, rear wall, slideroom endwalls and slideroom roof are all welded aluminum framed and laminated with rigid foam insulation. Many manufactures use wood framing and soft fiberglass insulation in the rear wall and slideroom that can settle over time and leave uninsulated air gaps.

EXCLUSIVE!

③ TRIPLE INSULATED MAIN FLOOR

R-45*

The underbelly is lined with a radiant foil insulation barrier (Layer 1) and then covered with fiberglass insulation (Layer 2). The main floor enhances the R-Value with yet another layer of fiberglass insulation (Layer 3).

EXCLUSIVE!

4 RAIL-TITE UNDERBELLY SEAL

Rigid aluminum rails are fastened around the perimeter of the underbelly to keep the corrugated barrier up tight against the frame for a better seal from the elements.

INSULATED GOOSENECK

Fiberglass insulation under the gooseneck is a place often forgotten by other manufactures.

6 1.5" INSULATED BAGGAGE DOORS

Rigid foam insulation lines the inside of our heavy duty baggage doors.

MAXIMUM FUNCTION



40,000 BTU OF HEATING POWER

A high performance furnace and fireplace combine to deliver the heat.



EVENFLOW HEATING SYSTEM

Vertically mounted heat vents are integrated into the cabinet bases. These vents push hot air from front to back (rather than straight up) and eliminate the need for floor vents that can collect dirt and debris, and are easily broken.



HEATED UNDERBELLY & STORAGE BAY

Dedicated heat ducts run to both the underbelly and storage bay. 12-volt heat pads on each holding tank, and the enclosed utility center with low-point drains provide a functional water system — even in extreme cold.



- **Balances Air Flow** Throughout the RV
- Increases A/C Air Volume
- Efficiency Leads to Energy and Cost Savings
- Reduces Temperature in a Shorter Amount of Time

NEW FOR 2022!



RAISING THE BAR IN **CUSTOMER SERVICE &** WARRAN

Every Grand Design RV is backed with a class leading 3-year limited structural warranty. By selecting suppliers with similar philosophies, many components used on our coaches also carry an extended warranty through the component manufacturer.

- ▶ FLOOR DECKING (25 Years)
- ▶ AXLES (5 Years)
- ► EXTERIOR GRAPHICS (5 Years)
- ► CHASSIS (3 Years)
- ► ROOF COVERING (12 Years)
- ▶ TIRE WARRANTY (5 Years w/12 Month no questions asked replacement for manufacturer defects)





Designed for your Comfort

NOW WITH REINFORCED AXLE HANGERS!

EXCLUSIVE!

SUPERCHASSIS

101" Wide Body Chassis - A full 5" wider than many coaches in its class, the widebody chassis allows for more livable floor space with deeper sliderooms, wider sofas in rear lounge models, and space saving sliding pocket doors into the bathrooms...all at a shorter towing length.

Wide Rail Design - Heavy duty I-beam main rails are placed further outward on the chassis. This wider rail placement provides a more stable jack stance, and allows for the slideroom gearpacks to be enclosed inside the frame rails (rather than outside).





RUN THREE 15K ACS AT THE SAME TIME!



MUMIXAM

AVAILABLE COOLING POWER

Dual 15,000 BTU A/Cs and prep for a 3rd A/C (N/A 2930RL)



AIRTITE CONNECTORS

All duct pieces are securely fastened together using special connector brackets.



RACETRACK DUCTING

True Racetrack Ducting extends past each AC unit to allow for uninterrupted airflow from the front to the back of the coach.







CONTROL IN THE PALM OF YOUR HAND.

CONTROL YOUR RV

Control lighting, slide-outs, leveling and awnings from the palm of your hand.

REAL-TIME DIAGNOSTICS

Compass Connect can notify you of system status, low battery voltage and leveling issues.



CRE3000

SUSPENSION SYSTEM

Increased travel means smoother towing, improved towability and better protection from damaging road shock.



17.5" All-Steel H-Rated Tires

75mph Speed Rated 4,805 lb. Load Rating

Chip Guard: Protects from chips or cuts Scrub Guard: Minimize wear from starts, stops, tight turns and curb impacts



POWER SEATS W/ HEAT & MASSAGE

(N/A 346FLS)



NO CARPET IN SLIDES/FLUSH FLOOR KITCHEN SLIDES



SOLID SURFACE BATHROOM COUNTERTOPS



ROCKFORD SOUND SYSTEM HEAD UNIT WITH INT. / EXT. SPEAKERS



TPMS SYSTEM

MONITORS PRESSURE AND TEMPERATURE

HIGHLIGHTED OPTIONS

UPGRADE TO

8K AXLES

ADD THE OPTIONAL SOLAR PACKAGE

(SOLAR PREP COMES STANDARD)









We couple 8K axles with 17.5" H-rated Cooper tires to give you the most carrying capacity in the industry! (Includes Disc Brakes)



UPGRADE TO DISC BRAKES

Upgrade to Disc Brakes to increase stopping power and safety on the road. Our tests show disc brakes stop 40 ft shorter at 50MPH than the standard drum brake.

(Applies to 7k and 8k Axles)

MORE OPTIONS:

DUAL PANE WINDOWS **GENERATOR PREP** KING BED





2930**RL** 2930RL-R

HITCH

11,442 2,174 15,000

GVWR

LENGTH¹ HEIGHT 34' 4"

CAPACITY 13' 5" 91 100 53

3740BH 3740BH-R

UVW HITCH

13,884 2,900 16,800

GVWR

40' 4"

LENGTH-

HEIGHT CAPACITY 13' 5" 91 100 106



3330**RE** 3330RE-R

IIVW

HITCH1

GVWR

LENGTH:

12,200 2,400 16,800 37'11"

HEIGHT

CAPACITY 13' 5" 91 106 53 BEVERAGE SAME 2

3950**BH** 3950BH-R

GVWR

LENGTH:

HEIGHT CAPACITY

13' 5" 91 100 106

14,054 2,584 16,800 40' 4"

†Based on average weight of the standard build. † Hitch to rear



FOR MORE INFORMATION SCAN THE QR CODE USING YOUR

MOBILE PHONE CAMERA APP

FLOORPLANS

CONSTRUCTION

BUILD & PRICE







OPTIONAL SLIDE CONFIGURATIONS

AVAILABLE ON MARKED MODELS ONLY



R mode sindicate 18 cultt. Resident'al Refrigerator option





THE RUBBER PIN BOX



The MORryde pin box system utilizes a unique rubber shear spring to positively deal with rough towing and road shock.



TPMS SYSTEM
MONITORS PRESSURE
AND TEMPERATURE



UPGRADED SHOWER SYSTEM



HARDWOOD WINDOW VALANCES



ELECTRIC POWER CORD REEL



24" RESIDENTIAL RANGE

HIGHLIGHTED OPTIONS

UPGRADE TO

8K AXLES

ADD THE OPTIONAL SOLAR PACKAGE

(SOLAR PREP COMES STANDARD)







30 AMP Controller



2000W Inverter



We couple 8K axles with 17.5" H-rated Cooper tires to give you the most carrying capacity in the industry! (Includes Disc Brakes)



Upgrade to Disc Brakes to increase stopping power and safety on the road. Our tests show disc brakes stop 40 ft shorter at 50MPH than the standard drum brake. (Applies to 7k and 8k Axles)

ULTIMATE BARBEQUE EXPERIENCE



Optional Pull-Out Kitchen with Sink, Griddle, Drawers and pivoting table.

(NA 346FLS, 378MBS, 380FL, 382WB)

FULL BODY PAINT OPTIONS





CABERNET (AS SHOWN)



PLATINUM



CHAMPAGNE



FOR MORE INFORMATION SCAN THE QR CODE USING YOUR MOBILE PHONE CAMERA APP

FLOORPLANS













280RK 280RK-R

UVWI HITCHI 12,334 2,044

44 15,

GVWR LENGTH 32' 7"

'7" 13'5"

13' 5" 93 100 53

CAPACITY

TRIFOLD SO TA

TRIFOL

375RES UVW HITCH GYWR LENGTH HEIGHT CAPACITY 375RES-R 14,200 2,900 16,800 41'4" 13'5" 93 100 50



310GK UVW HITCH GVWR LENGTH HEIGHT CAPACITY 310GK-R 12,100 2,350 15,000 34'11" 13'5" 93 100 50



378MBS UVW HITCH GVWR LENGTH HEIGHT CAPACITY 378MBS-R 14,344 2,686 16,800 40'2" 13'5" 93 100 50



345**GK** UVW HITCH GVWR LENGTH HEIGHT CAPACITY 345**GK-R** 13,320 2,604 16,800 37'2" 13'5" 93 100 50



380FL UVW HITCH GVWR LENGTH HEIGHT CAPACITY
380FL-R 14,866 3,052 16,800 41'5" 13'5" 93 100 106



346FLS UVW HITCH GVWR LENGTH HEIGHT CAPACITY 346FLS-R 14,222 3,096 16,800 37'11" 13'5" 93 100 50



382WB UVW HITCH GVWR LENGTH HEIGHT CAPACITY
382WB-R 14,866 3,052 16,800 41'5" 13'5" 93 100 53



373FB UVW HITCH GVWR LENGTH HEIGHT CAPACITY 373FB-R 13,950 2,800 16,800 41'4" 13'5" 93 100 100



390RK UVW HITCH GVWR LENGTH HEIGHT CAPACITY 390RK-R 14,562 2,794 16,800 41'5" 13'5" 93 100 53

WE STRIVE FOR NOTHING LESS THAN CUSTOMERS FOR LIFE!



Thank you for taking the time to tour our coach.

We would like to share what sets Grand Design RV apart from all other RV manufacturers and why this difference is important to you.

My close friends and I were part of an ownership team at a travel trailer, fifth wheel company that grew to become one of the largest RV manufacturers in the world. While proud of this accomplishment, it became difficult to stay in touch with customers, employees, and ultimately the quality of the final product. It became obvious, there was a better way.

In 2012 we started with a mission to build a better RV company. A company with a culture that desires a long-term, personal connection with customers, employees and dealers – that company became Grand Design RV. Our business model of doing the right thing has led us to many years of unparalleled growth.

At Grand Design we are customer centered and everything we do daily revolves around you. Our goal is simple – continue to lead the industry with quality, innovative products while striving to improve our customers' RV experience before, during and after their purchase. We strive for nothing less than customers for life and I would be honored to personally welcome you to the Grand Design family.

Warmest Regards,



QUALITY IS NOT AN OPTION, IT'S A HABIT!

Since day one dealers have reported their satisfaction levels confidentially regarding reliability and quality, parts, warranty and sales and rated us among the highest-rated RV manufacturers for <u>EVERY</u> one of our product lines, <u>EVERY</u> year.





LONG TERM VALUE

Everything we do at our company is designed to build long-term value in what we offer our customers, "More features and superior value for your dollar."

CUSTOMER CENTERED

Our focus, from the very first day we opened our doors, revolves around our customers. Your satisfaction is our future. GDRV4Life!

STAYING CONNECTED


Magic happens when the CEO and Senior Management actively work with the production facilities to help build the team and develop products.

EXPERIENCED WORKFORCE

Our local workforce has been hand-picked and has an excellent reputation for second-to-none industry craftsmanship.

RAISING THE QUALITY BAR

We put every Grand Design RV through a series of quality inspection gates during the manufacturing process. Once completed, the unit undergoes a comprehensive "final finish" inspection. At this point, most manufacturers ship their coaches to the dealer for retail sale. We aren't most manufacturers. Every one of our coaches is moved to a PDI (Pre-Delivery Inspection) area where they are put through a rigorous 300+ point inspection checklist. It is only after this PDI that we certify a unit ready to ship to our dealers.



SUPERIOR SERVICE

Anything built by humans that travels down the open road is subject to issues. It's how those issues are addressed that makes Grand Design so special to our owners. Visit the independent owners page on Facebook (Grand Design RV Owners) and see for yourself. We take care of our customers after the sale. An informed customer will be a Grand Design customer!

CLASS LEADING WARRANTY

We back every one of our coaches with a 3-year limited structural warranty.

Rev 07.26.2