ILAIRIEIDO

By Keystone





SUPER LITE TRAVEL TRAILERS



SUPER LITE FIFTH WHEELS



LIFE-SIZE FIFTH WHEELS



LIFE-SIZE FEATURES

LARIEDO

By Keystone



SUPER LITE TRAVEL TRAILERS

Aerodynamically designed, feature-packed light weight travel trailer.

.....see page 3

SUPER LITE FIFTH WHEELS

Aerodynamically designed, feature-packed light weight fifth wheel.

.....see page 6

LIFE-SIZE FIFTH WHEELS


Aerodynamically designed, "best in class" easy to tow luxury fifth wheel.

.....see page 10

MORE BEST IN CLASS FEATURES
THAN THE COMPETITION







Laredo front caps are designed to aggressively deflect wind from all angles (see FIGURE A). With a 20% more aerodynamic front cap, wind drag is reduced and fuel mileage is increased.






- **Gel Coated Filon Exterior**
- Luan Layer
- **Hi-Density Block Foam Insulation**
- Interior Wallboard
- **Total Aluminum Frame**
- **Residential Grade Carpet** and Trekk Flooring
- **Carpet Padding**

- 1st Layer Floor Decking
- 2nd Layer Floor Decking with Staggered Seams
- 10 Hi-Density Block Foam Insulation
- 11 Aluminum Floor Studs
- 12 3rd Layer Floor Decking
- 13 Moisture Barrier Wrap
- 14 Fiberglass Batten Insulation
- 15 Underbelly Heat Duct
- 16 PACO I-Beam Frame


- 17 One Piece Rubber Roof
- 18 Roof Decking
- 19 R-11 Insulation
- 20 5" Crowned / Stamped Roof Trusses
- 21 Sloped Slide Roof
- 22 Wiper Seals
- 23 Bulb Seal in T-Track
- 24 Air Glyde Front Cap w/LP Storage
- 25 EZ Lube Axles
- 26 Radial Tires
- 27 Radius Entry Steps



RAVEL TRAILERS	240MK	274RB	291TG	294RK	299TG	303TG	314RE	320TG	322RL
SHIPPING WEIGHT	5292	6255	6629	6772	TBD	7473	TBD	TBD	TBD
CARRYING CAPACITY	1908	1545	1571	1728	TBD	1527	TBD	TBD	TBD
HITCH WEIGHT	590	720	905	880	TBD	905	TBD	TBD	TBD
EXTERIOR LENGTH	27' 7"	30' 8"	33' 3"	34' 8"	32' 10"	35' 8"	36' 0"	36' 0"	TBD
EXTERIOR WIDTH	8'	8'	8'	8'	8'	8'	8'	8'	TBD
EXT. HEIGHT - A/C TOP	10' 11"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	TBD
FRESH WATER (GAL.)	43	43	43	43	43	43	43	43	TBD
WASTE WATER (GAL.)	30	34	30	30	30	30	34	34	TBD
GRAY WATER (GAL.)	30	68	30	60	30	30	68	68	TBD
LP CAPACITY (LBS.)	60	60	60	60	60	60	60	60	TBD









SUPER-LITE FIFTH WHEELS



INTERIOR FEATURES

- A. 8 CU. FT. Refrigerator
- B. 39" LED HDTV
- C. 12V DVD/CD/AM/FM/MP3 Player with Bluetooth
- D. Crown Molding
- E. 50" Wide, 6' 7" Tall Shower
- F. 60" x 80" Queen Size Mattress
- High Rise Faucet
- 50 amp service
- · Arched roof rafters

EXTERIOR FEATURES

- Water Works Utility Center
- Electric Awning
- Equa-Flex Suspension
- Heated Pass-Thru Storage
- Hitch Assist Mirror w/2 LED Lights
- Separate Battery Compartment
- **Battery Disconnect**

SUPER-LITE FIFTH WHEELS



- 1 Gel Coated Filon Exterior
- 2 Luan Layer
- 3 Hi-Density Block Foam Insulation
- 4 Interior Wallboard
- 5 Total Aluminum Frame
- 6 Trekk Flooring
- 7 Carpet Padding
- 8 1st Layer Floor Decking

- 9 2nd Layer Floor Decking with Staggered Seams
- 10 Hi-Density Block Foam Insulation
- 11 Aluminum Floor Studs
- 12 3rd Layer Floor Decking
- 13 Moisture Barrier Wrap
- 14 Fiberglass Batten Insulation
- 15 Underbelly Heat Duct
- 16 PACO I-Beam Frame
- 17 One Piece Rubber Roof
- 18 Roof Decking
- 19 R-11 Insulation

- 20 5" Crowned / Stamped Roof Trusses
- 21 Sloped Slide Roof
- 22 Wiper Seals
- 23 Bulb Seal in T-Track
- 24 Max Turn Aerodynamic Front Cap
- 25 EZ Lube Axles
- 26 Equa-Flex Suspension System
- 27 Radial Tires
- 28 Radius Entry Steps



270SRL



280SBH










SL FIFTH WHEELS	270SRL	278SRL	280SBH	290SRE	293SBH	295SCK
	7565	TBD	7670	8015	8165	TBD
CARRYING CAPACITY	2435	TBD	2330	1985	1835	TBD
HITCH WEIGHT	1505	TBD	1510	1555	1650	TBD
EXTERIOR LENGTH	31' 3"	32' 6"	31' 3"	31' 7"	33'	TBD
EXTERIOR WIDTH	8'	8'	8'	8'	8'	TBD
EXT. HEIGHT - A/C TOP	12' 3"	12' 3"	12'3"	12' 4"	12' 4"	TBD
FRESH WATER (GAL.)	43	43	43	43	43	TBD
WASTE WATER (GAL.)	30	34	30	30	30	TBD
GRAY WATER (GAL.)	60	68	60	30	60	TBD
LP CAPACITY (LBS.)	60	60	60	60	60	TBD









LIFE-SIZE FIFTH WHEELS



INTERIOR FEATURES

- A. 39" LED HDTV
- B. Fireplace (select models)
- C. Solid Surface Countertops
- D. Huge 60" Fiberglass Shower (select models)
- E. King Size Mattress (select models)
- F. Flush Mount Stainless Steel Sink with High Rise Faucet
- Flooring with 2 Year Cold Crack Warranty and 7 Year Performance Warranty

EXTERIOR FEATURES

- Fiberglass Front Cap with Max Turn Technology
- Power Adjustable Awning
- 50 AMP Service
- "Saddle" Style Pass-Thru Storage
- 10" Main Frame Rails
- Heated Storage Compartment
- Water Works Utility Center

WALL CONSTRUCTION (R-9)

- 1. Gel-coated fiberglass exterior
- 2. 1/8" Luan wood backer
- 3. Hi-density block foam insulation
- 4. Radius window corner blocks
- 5. 2" Welded aluminum sidewall studs
- 6. High-gloss front fiberglass cap
- 7. Metal backing strips

ROOF CONSTRUCTION (R-28)

- 8. One-piece EPDM rubber roof with 12-year warranty
- 9. 3/8" Fully walkable roof decking
- 10. Fiberglass batten insulation 2 layers
- 11. Heat reflective Astro foil insulation
- 12. 5" "Snow Load" roof trusses
- 13. Ceiling decking with vinyl protection
- 14. Vented attic

FLOOR CONSTRUCTION (R-30)

- 15. Residential grade carpet with stain protection
- 16. Residential grade carpet padding
- 17. 5/8" Seamless wood floor decking
- 18. Trekk flooring
- 19. In-floor ducted heat
- 20. Darco wrap (main floor)
- 21. Astro foil insulation
- 22. Fiberglass batten insulation 2 layers
- 23. One-piece, fluted polypropylene fully enclosed sub-floor
- 24. 3" floor joists on 16" centers
- 25. Therma Shield 37 holding tank enclosure

TIRE & CHASSIS

- 26. 10" steel powder coated I-beam frame
- 27. EZ Lube axles
- 28. E-Z Flex Suspension



Tri-Foot Safa Sleeper Refer Sharing Director TV ON Sharing Director









FIFTH WHEELS	292RL	312RE	329RE	335TG	346RD
SHIPPING WEIGHT	9880	10285	10790	10600	10745
CARRYING CAPACITY	2620	2215	2210	2400	2255
HITCH WEIGHT	2115	2000	1985	2050	2215
EXTERIOR LENGTH	34' 11"	35' 5"	37' 2"	37' 8"	37' 8"
EXTERIOR WIDTH	8'	8'	8'	8'	8'
EXT. HEIGHT - A/C TOP	12' 7"	12' 7"	12' 7"	12' 7"	12' 7"
FRESH WATER (GAL.)	55	55	55	55	55
WASTE WATER (GAL.)	40	40	40	40	40
GRAY WATER (GAL.)	72	72	75	110	72
LP CAPACITY (LBS.)	60	60	60	60	60

Our heated and enclosed underbelly helps extend the camping season while also improving fuel mileage by reducing drag under the coach.

Aluminum alloy wheels offer light weight, durability, and look great traveling down the open road.

50 amp and wired/braced for 2nd A/C













The large single basin kitchen sink allows enough size and depth for washing pots& pans.

Residential 60 x 80 queen beds are a luxury not offered by most light weight towables.

The high rise faucet allows larger items to fit into the sink, plus adds a modern look and a touch of elegance to the kitchen.



39" LED HDTV that makes it easy to view from all angles



Tri-fold sleeper sofa



The vaulted ceiling adds 5" of interior height to the Laredo.

Solid surface countertops with matching sink covers are paired with a faucet with pullout sprayer.

Residential queen beds (60"X80"), and flush floor upper decks are a luxury not offered by most other mid-profile fifth wheels.

39" LCD HDTV that makes it easy to view from all angles













30" Wide entry door

No need to worry about running out of hot water with our 12 Gallon DSI hot water heater.

Huge 60" shower is a best in its class feature that really makes you feel at home.



of the square footage

in your kitchen.





Heated pass-thru storage with wet storage bin. Easy to access with slam latches on doors and about 100 cu. ft. of pass-through storage (N/A on Super Lites).



PURCHASING YOUR RV LOCALLY

It's up to you where you purchase your new Laredo, but may we suggest your local dealer? Not only does it help your local economy and provide jobs, but it will also give you an opportunity to develop a service relationship with someone that will come to know you and your coach. Congratulations on finding the best built, best equipped, best value in the industry, and happy travels!



AMARETTO



SUNSET





STANDARDS AND OPTIONS

XT	_	nı	n	n
- X I	-	м		ĸ
-^	-	w	w	ĸ

ThermaShield 37 holding tank enclosure	1		
			FW
Fully enclosed underbelly	π	SF	FW
Heated, enclosed holding tanks & gate valves	π	SF	FW
Oversized lighted pass-thru storage	π	SF	FW
Roto-cast storage for wet or greasy items			FW
Exterior shower w/hot & cold water	π	SF	FW
Folding entry assist handle	π	SF	FW
Exterior marine grade speakers	π	SF	FW
Rain gutters w/downspouts	π	SF	FW
Rear ladder			FW
Triple entrance steps	π	SF	FW
Electric front jacks w/adjustable snap pins		SF	FW
Aerodynamic front cap with Hitch Assist Mirror		SF	FW
& 2 LED lights w/Max Turn Technology			
Front cap with Air Glyde technology	π		
Outside 110V outlet & TV connection	П	SF	FW
Water works utility center	П	SF	FW
TIRES & CHASSIS			
Powder-coated I-beam frame	π	SF	FW
Tube style bumper w/sewer hose storage	П	SF	FW
Electric slideout system w/manual override	П	SF	FW
Adjustable extended hitch pin		SF	FW
Radial tires	П	SF	FW
EZ lube axles	П	SF	FW
10" 1 1 1	π	SF	FW
10" electric brakes			
10" electric brakes 12" electric brakes			FW

TT = TRAVEL TRAILER

SF = SUPER LITE FIFTH WHEELS

FW = FIFTH WHEELS

INTERIOR Living Area Dinette w/storage below |π|sf|fw 6' 3" slide room height FW TT SF FW Ventilating windows on slideout end walls Π SF FW Overhead cabinets in slide rooms TT SF FW Residential grade carpet and padding Stain resistant fabrics TT SF FW Π SF FW Pleated shades TT SF FW Designer window treatments TT SF FW Raised panel mortise & tenon cabinet doors TT SF FW Entertainment center w/TV cabinet Kitchen Residential-size overhead cabinets TT SF FW Dual sink covers FW TT SF Single basin sink with cover 60/40 deep-bowl stainless steel sink FW High-rise faucet with pull-out sprayer TT SF FW Linoleum floor with cold crack warranty TT SF FW Ball bearing full extension drawer guides TT SF FW Bathroom TT SF FW Oversized shower (select models) TT SF FW Tub surround w/shelves TT SF FW Foot pedal flush porcelain toilet Medicine cabinet TT SF FW TT SF FW Skylight over bath TT SF FW Power roof vent Bedroom TT SF FW 60" x 80" innerspring mattress TT SF FW Designer matching headboard Π SF FW Wardrobe storage

APPLIANCES

TT SF FW

TT SF FW

12V AM/ FM/ CD/ DVD nome theater system			2.9
with Bluetooth		SF	
Double door refrigerator	F	SF	FW
Microwave with carousel	F	SF	FW
Range hood and light	F	SF	FW
15,000 BTU ducted A/C	π	SF	FW
High output range w/auto igniter	Ħ	SF	FW

IITH ITIES

OTITITIE2			
2-30 lb. LP bottles w/auto changeover	π	SF	FW
35,000 BTU high-output furnace w/auto ignit	tion		FW
30,000 BTU high-output furnace w/auto ignit	tion T	SF	
Water heater bypass kit	Π	SF	FW
Systems monitor panel	π	SF	FW
Cable & satellite connections	П	SF	FW
CAFFTV		1	
SAFETY			
Break away switch	π		FW
Tinted safety glass windows	π		FW
GFI receipts	π		
Carbon monoxide detector	π		
Smoke alarm	π	_	FW
Propane gas leak detector	π	SF	FW
Fire extinguisher	π	SF	FW
HEE CITE DAGVACES			
LIFE-SIZE PACKAGE®	la la		
12 cu ft refer (most floorplans)			FW
King Bed (292RL, 312RE, 346RD)			FW
LED Ceiling Lights	π	SF	FW
Oversize Stainless Steel Sink (select floorplan			FW
High-Arch pull down kitchen faucet	π	SF	FW
60" Residential Shower (most floorplans)			FW
39" LED TV (most floorplans)	π	_	FW
8 cu ft refer	π	SF	
6'3" Slide out height			FW
80" Residential Queen Mattress	П		FW
50 Amp Service	π	_	FW
Arched Ceiling	π	SF	
50" Residential Shower (most floorplans)	П	SF	
Aluminum Wheels	π	SF	FW
Radial Tires	π	SF	FW
ODTIONS			
OPTIONS	17		
Free Standing Dinette (N/A 240MK)	π	_	_
15,000 BTU A/C (mandatory)	π		
2nd 13.5 BTU A/C in Bedroom	П		
Recliners (N/A 335TG)	π	SF	FW
Dual Pane Windows	10000		FW
Central Vacuum	97.5	46	FW
RVQ Grill (335TG only)	444		FW
*Mandatany Dagkaga	200		

^{*}Mandatory Package

YOUR LOCAL DEALER:



2642 Hackberry Drive | PO BOX 2000

Goshen, Indiana 46527-2000

(574) 535-2100

TV hook-up Reading lights







Get the free app at http://gettag.mobi and scan this tag.

