
EASTERN

# HIDEOUTE TRAILERS . FIETH WHEELS



## HIDEOUT



HIDEOUT I TRAVEL TRAILERS I FIFTH WHEELS

## READY FOR AN RV? HIDEOUT HAS A CAMPER FOR THAT.

Explore easy to tow, single-axle travel trailers, destination trailers, and fifth wheel floor plans. Whatever you're looking for, Keystone Hideout affordable RV's make it incredibly easy to become a camper. With its sharp, automotive-inspired exterior design and light and airy interiors, Hideout sets the stage for carefree camping. Hideout owners are delighted by unexpected features like electric stabilizer jacks, hidden pantries, and central vacuum systems.

For more information, please visit keystonerv.com/Hideout

## **KEYSTONE EXCLUSIVE** INNOVATIONS

Designed to deliver superior performance, quality, and a best-inclass camping experience, every Hideout model includes engineering innovations available EXCLUSIVELY to Keystone owners. For more information about these features and the Keystone Innovation Lab, visit us online at www.keystonerv.com/innovations.



#### Blade™ High-Performance Air Flow System & Tuf-Lok™ A/C Duct Joiners

Blade™ & Tuf-Lok™ are designed to accelerate air flow, eliminate leakage and failure points, and deliver 360° circulation.



#### 4G LTE and WI-FI Prep

All units are equipped with a new antenna that integrates 4G LTE and Wi-Fi with standard VHF/UHF/AM/FM reception.



#### KeyTV™

No more connection guesswork or poor reception. KeyTV offers a game-changing, single point of control of over-the-air, cable, and satellite feeds.



#### Color-Coded Unified Wiring Standard

Easy-to-trace circuits simplify electrical and entertainment system troubleshooting.



#### Tru-fit™ Slide Construction

A more durable slide room design that minimizes functional motor and structural stress and resists leaking.



#### In-floor Heating Ducts

Distributes heat evenly through your coach for superior comfort.



### 3-YEAR LIMITED STRUCTURAL WARRANTY, 1-YEAR LIMITED BASE WARRANTY

Every new Keystone RV comes with the industry's best three-year limited structural warranty AND a one-year limited base warranty. Ask your dealer, visit keystonerv.com, or call Keystone Owner Relations for details.









## **INTERIORS**

Textured glass cabinet doors and distinctive batten ceiling strips offer warm and luxurious touches to the segment. Stylish wood flooring and deep tint windows throughout make double-axle models a traditional and comfortable space.

## INTRODUCING DESIGNER WHITE CABINETRY, AVAILABLE EXCLUSIVELY ON HIDEOUT SINGLE AXLES.





Hideout's unique contemporary white shaker cabinets offer a clean and laid-back feel to their single-axle coaches. Tonal furniture and matte black fixtures provide depth and contrast to the space. Rough-hewn plank-style flooring ushers in a touch of warmth to complete this inviting design.



ALL HIDEOUTS OFFER THE **CHOICE BETWEEN ALBANY** AND LODGE DECORS.





- ALBANY —

- LODGE -



## **BLADE™ HIGH** PERFORMANCE AIR HANDLING SYSTEMS

Engineered to maximize the output from today's high-performance RV air conditioners, Keystone's NEW patented air handling system delivers an average of 20% more cooling power and is built to withstand the rigors of the road. The Blade™ system is designed to accelerate air flow, eliminate leakage and failure points, deliver 360° circulation in the cabin, and withstand environmental and road stressors that lead to reduced performance.

## **WINEGARD AIR 360+ OMNIDIRECTIONAL ANTENNA**

With 360° VHF/UHF/FM signal reception and signal amplification, the combination of the Air 360+ and KeyTV™ provides Keystone RV owners with the most reliable, easiest to operate over-the-air entertainment package in the industry.

\*Not available on single axle models



## **MODERN AMENITIES**

Exclusive and unexpected features that set the stage for carefree camping.



















#### 1. LCI SOLIDSTEP® (N/A 38' MODELS)

Ultra safe and secure main entry step (N/A on 38' or LHS models).

#### 2. 10 CU. FT. 12V REFRIGERATOR (N/A SINGLE AXLES)

Stock up without sacrifice.

#### 3. ELECTRIC FIREPLACE (N/A NON-SLIDE & SINGLE AXLES)

Sit back and relax indoors on chilly days.

#### 4. PIVOT™ FURNITURE (SELECT MODELS)

Exclusively from Keystone, the Pivot levered dinette seatback shifts to create an expansive I-shaped sofa.

#### 5. HIDDEN PANTRY (SELECT MODELS)

Extra storage for snacks aplenty.

#### 6. FURRION® BACKUP & SIDE CAMERA PREP

Makes installation simple and easy.

#### 7. CENTRAL VACUUM SYSTEM (N/A SINGLE AXLES)


Built-in to reduce cargo and make cleanup a breeze.

#### 8. FRONT WINDSHIELD (FW ONLY)


Allows an abundance of natural light into the coach.

#### 9. 50" HDTV (SELECT MODELS)


Large screen offers premium entertainment viewing.




174RK | Single axle, one side, rear kitchen, roof mount A/C, 6 cu. ft. fridge Weight: 4009 lb | Length: 21'5"




Single axle, single-over-single bunkhouse Weight: 3324 b | Length: 21'5"




176BH Singleaxle, one slide, double bunks, roof mount A/C, 6 cu. ft. fridge Weight: 3715 lb | Length: 21'5'




| Single axle, rear dinette | Weight: 3350 lb | Length: 21'5"




Single axle, rear bath Weight: 3254 lb | Length: 21'5"



Single axie, rear bathroom, roof mount A/C, 6 cu. ft. fridge Weight: 3670 lb | Length: 21'5"




Single axie, largest pantry/ward in its class, roof mount A/C, 6 cu. ft. fridge Weight: 4161 lb | Length: 22'10"






No slides, rear dinette Weight: 4508 lb | Length: 24'11"






**243RB** 

XL rear bath w/ residential shower, and dual vanities Weight: TBID | Length: 28'5"






One slide, double-over-double bunkhouse, camp kitchen Weight: 6077 lb | Length: 29' 11"






**253RL** 

One slide, rear living w/ rediners, hidden pantry, 50° HDTV Weight: 6061 lb | Length: 29' 11"




**262BH** 

No slide bunkhouse, sleeps up to 10 Weight: 4989 lb | Length: 29' 3"




272BH

One silde, double-over-double bunkhouse, dual entry Weight: 6088 lb | Length: 30' 8"



290QB


One slide, private bunkroom, massive wrap around storage Weight 6604 lb | Length: 33' 4"




318BR

Two slides, private bunkroom, camp kitchen Weight: 7688 lb | Length: 35'11"







27RLS Rear living room w/ recliners, hidden pantry, & walk in shower Weight: 6797 lb | Length: 31'11"




28RKS One side, rear kitchen, camp kitchen, 50° HDTV Weight: 6954 lb | Length: 32'11"




29DFS One slide, double bunks, exclusive hidden pantry Weight: 7138 lb | Length: 33'11"




Two slides, rear living room w/ theater seating, kitchen island, paintry Weight: 799 0 lb | Length:  $34'\,11''$ 



32FBTS | Two slides w/ bed slide, bunkhouse, patlo door Weight: 8607 lb | Length: 36'11"




32LBH | Bunkhouse, queen bed, ptvot furniture Weight: TBD | Length: 36'9"




34FKDS


Front kitchen, hidden pantry, w/d prep, patio door Weight: 8293 lb | Length: 38' 11"




38BHDS Two slides w/ bed slide, bunkhouse, patio door Weight: 8281 lb | Length: 39'11"




38FDDS | Two slides w/ bed slide, front sectional, patio door Weight 8277 lb | Length: 39'11"




38 FKTS | Three slides, mid-bunkhouse, patto door Weight: 9 079 lb | Length: 39' 11"




Three slides, double queen bedroom, 1½ baths, patio door Weight: 9230 lb | Length: 39'11"




300RLDS | Two slides, rear living, kitchen island, large pantry Weight 9247 lb | Length: 34 4\*



301DBS One slide, double-over-double bunks, hidden pantry, 1½ baths Weight: 8699 lb | Length: 34′2″



308BHDS Two slides, private bunkroom, 13/2 baths, 50" HDTV, outdoor kitchen Weight: 9288 lb | Length: 35' 5



320MBDS | Two slides, mid-bunk, L-shaped countertop Weight: 9661 lb | Length: 39' 6"

## HIDEOUT | MODEL SPECIFICATIONS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
174RK	4009	1191	525	27	30	30	20	21' 5"	8'	10' 2"	10'
175BH	3324	1076	485	27	30	30	20	21' 5"	8'	10' 2"	10'
176BH	3715	785	520	27	30	30	20	21' 5"	8'	10' 2"	10'
177RD	3350	1050	540	27	30	30	20	21' 5"	8'	10' 2"	10'
178RB	3254	1186	440	27	30	32	20	21' 5"	8'	10' 2"	10'
179RB	3670	810	480	27	32	30	20	21' 5"	8'	10' 2"	10'
186SS	4161	839	615	27	30	30	20	22' 10"	8'	10' 4"	141
202RD	4508	2692	490	43	39	39	40	24'11"	8'	10' 3"	12'
243RB	TBD	TBD	TBD	43	39	69	40	28' 5"	8'	11' 1"	16'
250BH	6077	1723	810	43	30	69	40	29' 11"	8'	11' 1"	181
253RL	6061	1699	765	43	30	39	40	29' 11"	8'	11' 1"	16'
262BH	4989	2556	545	43	30	39	40	29' 3"	8'	10' 3"	121
272BH	6088	1692	780	43	30	30	40	30' 8"	8'	11' 1"	16'
290QB	6604	3046	875	43	39	39	40	33' 4"	8'	11' 1"	181
318BR	7688	2012	900	43	39	69	40	35' 11"	8'	11' 2"	18'
338 BR	8005	1695	935	43	78	69	40	37' 11"	8'	11' 2"	12'
MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
27RLS	6797	2703	815	43	39	39	40	31' 11"	8'	11' 1"	18'
		2700							100		10
28R KS	6954	2706	860	43	39	78	40	32' 11"	8'	11' 1"	181
28RKS 29DFS	6954 7138					78 78					
		2706	860	43	39		40	32' 11"	8'	11' 1"	18'
29 DFS	7138	2706 2542	860 920	43 43	39 30	78	40 40	32' 11" 33' 11"	8'	11' 1" 11' 1"	18' 16'
29 DFS 30RLDS	7138 7990	2706 2542 1900	860 920 1090	43 43 43	39 30 39	78 78	40 40 40	32' 11" 33' 11" 34' 11"	8' 8'	11' 1" 11' 1" 11' 2"	18' 16' 12'
29 DFS 30RLDS 32 FBTS	7138 7990 8607	2706 2542 1900 2893	860 920 1090 1150	43 43 43 43	39 30 39 39	78 78 39	40 40 40 40	32' 11" 33' 11" 34' 11" 36' 11"	8' 8' 8'	11' 1" 11' 1" 11' 2"	18' 16' 12' 18'
29DFS 30RLDS 32FBTS 32LBH	7138 7990 8607 TBD	2706 2542 1900 2893 TBD	920 1090 1150 TBD	43 43 43 43 43	39 30 39 39 30	78 78 39 69	40 40 40 40	32' 11" 33' 11" 34' 11" 36' 11"	8' 8' 8' 8'	11' 1" 11' 1" 11' 2" 11' 2"	18' 16' 12' 18'
29 DFS 30 RLDS 32 FBTS 32 LBH 34 FKDS	7138 7990 8607 TBD 8293	2706 2542 1900 2893 TBD 1607	920 1090 1150 TBD 1100	43 43 43 43 43 43	39 30 39 39 30 39	78 78 39 69 78	40 40 40 40 40 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9"	8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 0" 11' 2"	18' 16' 12' 18' 18'
29DFS 30RLDS 32FBTS 32LBH 34FKDS 38BHDS 38FDDS 38FKTS	7138 7990 8607 TBD 8293 8281 8277 9079	2706 2542 1900 2893 TBD 1607 1689 1723 1921	860 920 1090 1150 TBD 1100 1170 1205	43 43 43 43 43 43 43 43	39 30 39 39 30 39 39 39	78 78 39 69 78 39 39	40 40 40 40 60 60 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9" 38' 11"	8' 8' 8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 0" 11' 2" 11' 2"	18' 16' 12' 18' 18' 18' 18' 18' 18'
29DFS 30RLDS 32FBTS 32LBH 34FKDS 38BHDS 38FDDS	7138 7990 8607 TBD 8293 8281 8277	2706 2542 1900 2893 TBD 1607 1689 1723 1921 2130	860 920 1090 1150 TBD 1100 1170 1205 1200	43 43 43 43 43 43 43 43 43	39 30 39 39 30 39 39 39 39	78 78 39 69 78 39 39 78 78	40 40 40 40 40 60 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9" 38' 11" 39' 11"	8' 8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 0" 11' 2" 11' 2" 11' 2"	18' 16' 12' 18' 18' 18' 18'
29DFS 30RLDS 32FBTS 32LBH 34FKDS 38BHDS 38FDDS 38FKTS	7138 7990 8607 TBD 8293 8281 8277 9079	2706 2542 1900 2893 TBD 1607 1689 1723 1921	860 920 1090 1150 TBD 1100 1170 1205	43 43 43 43 43 43 43 43	39 30 39 39 30 39 39 39	78 78 39 69 78 39 39	40 40 40 40 60 60 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9" 38' 11" 39' 11"	8' 8' 8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 2" 11' 2" 11' 2" 11' 2" 11' 4"	18' 16' 12' 18' 18' 18' 18' 18' 18'
29DFS 30RLDS 32FBTS 32LBH 34FKDS 38BHDS 38FDDS 38FKTS 38FQTS	7138 7990 8607 TBD 8293 8281 8277 9079	2706 2542 1900 2893 TBD 1607 1689 1723 1921 2130 CARRYING	860 920 1090 1150 TBD 1100 1170 1205 1200 1200	43 43 43 43 43 43 43 43 43 FRESH	39 30 39 39 30 39 39 39 39 39 39 39 WASTE	78 78 39 69 78 39 39 78 78	40 40 40 40 60 60 60 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9" 38' 11" 39' 11" 39' 11"	8' 8' 8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 0" 11' 2" 11' 2" 11' 4" 11' 4"	18' 16' 12' 18' 18' 18' 18' 18' 18' 18'
29DFS 30RLDS 32FBTS 32LBH 34FKDS 38BHDS 38FDDS 38FKTS 38FQTS	7138 7990 8607 TBD 8293 8281 8277 9079 9230	2706 2542 1900 2893 TBD 1607 1689 1723 1921 2130 CARRYING CAPACITY	860 920 1090 1150 TBD 1100 1170 1205 1200 1200 HITCH WEIGHT	43 43 43 43 43 43 43 43 FRESH WATER	39 30 39 39 30 39 39 39 39 39 39 WASTE WATER	78 78 39 69 78 39 39 78 78 GRAY WATER	40 40 40 40 60 60 60 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9" 38' 11" 39' 11" 39' 11"	8' 8' 8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 0" 11' 2" 11' 2" 11' 4" 11' 4" HEIGHT	18' 16' 12' 18' 18' 18' 18' 18' 18' 18' 18' AWNING
29DFS 30RLDS 32FBTS 32LBH 34FKDS 38BHDS 38FDDS 38FKTS 38FQTS MODEL 300RLDS	7138 7990 8607 TBD 8295 8281 8277 9079 9230 WEIGHT	2706 2542 1900 2893 TBD 1607 1689 1723 1921 2130 CARRYING CAPACITY 2853	860 920 1090 1150 TBD 1100 1170 1205 1200 1200 HITCH WEIGHT	43 43 43 43 43 43 43 43 43 FRESH WATER	39 30 39 39 30 39 39 39 39 39 WASTE WATER 39	78 78 39 69 78 39 39 78 78 GRAY WATER 78	40 40 40 40 60 60 60 60	32' 11" 33' 11" 34' 11" 36' 11" 36' 9" 38' 11" 39' 11" 39' 11" 39' 11"	8' 8' 8' 8' 8' 8' 8' 8' 8'	11' 1" 11' 2" 11' 2" 11' 0" 11' 2" 11' 2" 11' 4" 11' 4" HEIGHT	18' 16' 12' 18' 18' 18' 18' 18' 18' 18' 18' 18' 18

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. \*Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. Please review owner's manual printed provided as a possible of the selection of the pin/coupler to rear bumper of trailer. Please review owner's manual printed provided as a possible as a possible of the pin/coupler to rear bumper of trailer. prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystonery.com.

EXTERIOR	SA	LHS	Ш	FW
Power stab jacks	N/A	S-FP	S	S
Power tongue jack	N/A	\$	\$	S
Black tank flush	N/A	N/A	S	S
Gas/electric water heater	N/A	N/A	\$	S
Gas only water heater	S	S	N/A	N/A
Power awning	S	\$	\$	S
LCI® Solid Step®	S	S	S	S
Friction hinge door (n/a on 38' destination TT models)	S	S	S	S

EXTERIOR (CONT.)	SA	LHS	II	FW
2nd A/C	N/A	0	0	0
50 Amp service w/ 2nd A/C prep	N/A	0	0	S
Furrion® backup and side camera prep	S	S	S	S
Exterior ladder	N/A	N/A	0	S
Blue LED lighted ext. speakers	S	S	S	S
Tinted windows	N/A	S	S	S
Solar prep	S	S	S	S
XL entry assist handle	N/A	N/A	S	S

## HIDEOUT STANDARDS & OPTIONS

EXTERIOR (CONT.)	SA	LHS	Π	FW
110v outside receptacle	S	S	S	S
Front diamond plate	S	S	S	S
Winegard® antenna	S	S	S	S
Laminated fiberglass sidewalls	N/A	N/A	N/A	S
Painted front cap with windshield	N/A	N/A	N/A	S
Max Turn Technology™ front cap with Hitch Vision™	N/A	N/A	N/A	S
Rota-Flex* pin box	N/A	N/A	N/A	S
Electric adjustable front landing gear	N/A	N/A	N/A	S
Aluminum wheels	N/A	N/A	N/A	S
Spare tire	S	0	0	S
INTERIOR	SA	LHS	Ш	FW
BK BTU A/C	S	N/A	N/A	N/A
13.5K BTU A/C	0	S	S	N/A
ISK BTU A/C	N/A	0	0	S
3 cu. ft. refrigerator	S-FP	N/A	N/A	N/A
6 cu. ft. refrigerator	S-FP	N/A	N/A	N/A
3 cu. ft. refrigerator (n/a 38'destination TT models)	N/A	N/A	N/A	S-FI
2v refrigerator	N/A	S	S	0
20K BTU furnace	S	N/A	N/A	N/A
BOK BTU furnace	N/A	S	S	S
Residential refrigerator (38' destination TT models only)	N/A	N/A	S-FP	N/A
ri-fold sofa	N/A	N/A	0	S
Platinum Maple interior cabinets	N/A	S	S	S
Designer white interior cabinets	S	N/A	N/A	N/A
Black cabinet hardware	S	S	S	S
Blackout night shades	S	S	S	S
Central vacuum	N/A	S	S	S
Electric fireplace	N/A	S-FP	S	S
HD TV (40" or 50" by floorplan)	N/A	0	S	S
Furrion® Bluetooth® radio	S	S	S	S
Opening bunk room windows	S	S	S	S
Cubby bear bunk mats	S-FP	S-FP	S-FP	S-FI
Free standing table	N/A	N/A	0	0
Do-More™ dinette table	N/A	N/A	S-FP	S-F
High-rise faucet	N/A	S	S	S
Stainless-steel sink	N/A	N/A	S	S
(ub surround	N/A	S	S	S
Porcelain foot flush toilet	N/A	S	S	S
Curved shower rod	S-FP	S-FP	S-FP	S-FI
Laundry chute	N/A	S	S	S
Mirrored wardrobe	N/A	S	S	S
USB charging station	S	S	S	S
Monitor panel	N/A	N/A	S	S
Under-bed storage	S	S	S	S
Kitchen sink cover	N/A	N/A	S	S

Furrion® oven with glass top	N/A	S	S	S
Storage under dinette	S	S	S	S
Hidden pantry	N/A	N/A	S-FP	S-FP
Seamless pressed countertops	N/A	N/A	S	S
Backsplash	S	S	S	S
Patio door (38' destination TT models only)	N/A	N/A	N/A	N/A
38" walk-in shower or tub	S	S	S	S
Accent lighting	N/A	S	S	S
SAFETY	SA	LHS	II	FW
Fire extinguisher	S	S	S	S
Smoke detector	S	S	S	S
LP detector	S	S	S	S
CO detector	S	S	S	S
Safety chains	S	S	S	S
Emergency breakaway switch	S	S	S	S
CONSTRUCTION	SA	LHS	II	FW
Fully walkable roof	N/A	\$	S	\$
Dual battery rack	N/A	\$	\$	S
Residential in-floor heating ducts	N/A	\$	S	\$
Color coded and numbered wiring	S	\$	\$	S
Powder coated frame	S	\$	S	\$
Dexter E-Z Lube® axle	S	\$	S	S
Full width outriggers	S	\$	S	S
Tru-fit™ five point slideout construction	S	\$	\$	\$
Rotocast holding tanks	S	S	S	S
Hurricane straps	S	S	S	S
Radial tires	S	\$	S	S
Cambered chassis	S	\$	S	S
Seamless 5/8" thick floor decking	S	\$	S	S
Tuf-Lok* A/C duct joiners	S	\$	\$	\$
4 1/2" crowned roof	S	S	S	S
Flex pex tubing with 10 year warranty	S	\$	\$	\$
Insulated water lines	S	\$	S	S
Heated and enclosed underbelly	N/A	N/A	S	S

SA - SINGLE AXLE LHS TRAVEL TRAILER TT - LUXURY TRAVEL TRAILER

LHS - LHS TRAVEL TRAILER

FW - LUXURY FIFTH WHEEL

S = STANDARD / O = OPTIONAL

N/A = NOT AVAILABLE / S-FP = SELECT FLOORPLANS

#### BUILT FOR THE LONG HAUL



#### **TEASIER SHOPPING.**

At Keystone, we make choosing an RV as easy as finding the Big Dipper on a dark summer night. With comprehensive online product information, Key Connect™ product advisors, and an unparalleled dealer network, we will help you select the perfect RV for your family's adventure.

#### INNOVATIVE THINKING.

The road's a nicer place when you have the industry's smartest features behind you. Keystone leads the pack in patented innovations that make our RVs safer, more comfortable, and easier to operate.

#### LONG HAUL QUALITY.

To keep you on the road, there are certain things we just won't build a Keystone RV without. Game-changing features like our Unified Wiring Standard, Tru-Fit™ five-point slide construction, and no-fail Tuf-Lok™ A/C duct joiners combined with exhaustive testing and inspections are some of the reasons why Keystone is able to offer our owners the industry's best 3-year limited structural warranty.

#### WORRY-FREE CUSTOMER SERVICE.

Wherever the road takes you, you're never too far from an authorized Keystone service center. We also offer live service assistance, ultra-fast parts shipping, online maintenance tips and tricks, and a single-point warranty claims policy. That's peace of mind.

#### **5 KEYSTONE NATION.**

When you choose Keystone, you become a part of one of the largest camping families in the country. We're Keystone Nation. A friendly community where people share photos, travel tips and amazing stories — all in the spirit of camaraderie and adventure. Come join us.



