

CoachmenRV.com



LEPRECHAUN EXTERIOR OPTIONS



STANDARD GRAPHICS

LEPRECHAUN MODEL SPECIFICATIONS

| LEPRECHAUN MODEL SPECIFICATIONS | | | | | |
|---------------------------------|----------------|----------------|----------------|----------------|----------------|
| MODEL | 210R5 | 220XG | 230FS | 270QB | 300BH |
| Chassis | 2021 E350 FORD | 2021 E350 FORD | 2021 E350 FORD | 2021 E350 FORD | 2021 E450 FORD |
| Engine | V8-7.3L | V8-7.3L | V8-7.3L | V8-7.3L | V8-7.3L |
| Horse Power | 350 | 350 | 350 | 350 | 350 |
| Torque | 468 | 468 | 468 | 468 | 468 |
| Wheel Base | 158" | 58" | 176" | 190" | 223" |
| GVWR (lbs.) | 12,500 | 12,500 | 12,500 | 12,500 | 14,500 |
| GCWR (lbs.) | 18,500 | 18,500 | 18,500 | 18,500 | 22,000 |
| UVW (approx. lbs.) | 9,830 | 9,400 | 10,800 | 10,294 | 12,150 |
| CCC (approx. lbs.) | 2,670 | 3,100 | 1,700 | 2,206 | 2,350 |
| GAWR Front (lbs.) | 5,000 | 5,000 | 5,000 | 5,000 | 5,000 |
| GAWR Rear (lbs.) | 8,500 | 8,500 | 8,500 | 8,500 | 9,600 |
| Interior Height | 6' 11" | 6' 11" | 6' 11" | 6' 11" | 6' 11" |
| Exterior Width | 8'4" | 8' 4" | 8'4" | 8'4" | 8'4" |
| Exterior Height (with A/C) | 10' 11" | 10' 11" | 10' 11" | 10' 11" | 10'11" |
| Ford Exterior Length | 24'3" | 24' 3" | 26'0" | 29'6" | 32' 11" |
| Tow Capacity (lbs.) | 5,000 | 5,000 | 5,000 | 5,000 | 7,500 |
| Fuel Capacity (gal.) | 55 | 55 | 55 | 55 | 55 |
| LP Capacity (lbs.) | 68 | 68 | 68 | 68 | 68 |
| Fresh Water Capacity (gal.) | 50 | 41 | 43 | 40 | 50 |
| Water Heater Capacity (gal.) | 6 | 6 | 6 | 6 | 6 |
| Grey Tank Capacity (gal.) | 28 | 28 | 31 | 31 | 34 |
| Black Tank Capacity (gal.) | 31 | 31 | 31 | 31 | 29 |
| Exterior Storage (cu. ft.) | 57 | 38 | 40 | 69 | 48 |
| Awning Length | 15' | 15' | 17' | 20' | 11' |

PAINTED CHASSIS CAB

LEPRECHAUN AND LEPRECHAUN PREMIER **KEY FEATURES**

Superior Construction

- "Certified Green" Product

- 2" Thick Sidewall Construction with Azdel "SuperLite" Substrate and 100% Welded Aluminum Framing

- CrossFlex Reinforced Roof Material

- QVM Certified Chassis Modifications

• Camping Enhancements

- Full Length Patio Awning and

- LED Patio Light Bar
- LP Quick-Connect Line
- Solar Port Connection

- Warehouse Storage Exterior Compartment

• Comfort

- Residential Bed Sizes

- Large Cab-Over Area

- Oversize Dinettes

• CRV Comfort Ride (230FS, 300BH, and All Premier Models)

Bilstein Front Shocks (Premier Models only)
Firestone Ride-Rite Adjustable Rear Air Bags
Stability Control

Dynamically Balanced Driveshaft System
Heavy Duty Front & Rear Stabilizer Bars

• Improved Mechanical Systems

- Large Fresh Water Tank
- Even-Cool Ducting System (on select models) - 2nd Rooftop A/C Pre-Wire (on select models)

LEPRECHAUN MODEL



220XG





270QB



LEPRECHAUN PREMIER MODEL









LEPRECHAUN PREMIER MODEL SPECIFICATIONS

| MODEL | 260DS | 298KB | 311FS | 319MB |
|------------------------------|----------------|----------------|----------------|----------------|
| Chassis | 2021 E450 FORD | 2021 E450 FORD | 2021 E450 FORD | 2021 E450 FORD |
| Engine | V8-7.3L | V8-7.3L | V8-7.3L | V8-7.3L |
| Horse Power | 350 | 350 | 350 | 350 |
| Torque | 468 | 468 | 468 | 468 |
| Wheel Base | 190" | 202" | 220" | 223" |
| GVWR (lbs.) | 14,500 | 14,500 | 14,500 | 14,500 |
| GCWR (Ibs.) | 22,000 | 22,000 | 22,000 | 22,000 |
| UVW (approx. lbs.) | 11,330 | 11,800 | 12,370 | 11,680 |
| CCC (approx. lbs.) | 3,170 | 2,700 | 2,130 | 2,820 |
| GAWR Front (lbs.) | 5,000 | 5,000 | 5,000 | 5,000 |
| GAWR Rear (lbs.) | 9,600 | 9,600 | 9,600 | 9,600 |
| Interior Height | 6' 11" | 6' 11" | 6' 11" | 6' 11" |
| Exterior Width | 8' 4" | 8' 4" | 8' 4" | 8' 4" |
| Exterior Height (with A/C) | 10' 11" | 10' 11" | 10' 11" | 10' 11" |
| Ford Exterior Length | 27' 5" | 30' 5" | 31' 10" | 32'11" |
| Tow Capacity (lbs.) | 7,500 | 7,500 | 7,500 | 7,500 |
| Fuel Capacity (gal.) | 55 | 55 | 55 | 55 |
| LP Capacity (lbs.) | 68 | 68 | 68 | 68 |
| Fresh Water Capacity (gal.) | 50 | 48 | 50 | 50 |
| Water Heater Capacity (gal.) | 6 | 6 | 6 | 6 |
| Grey Tank Capacity (gal.) | 31 | 34 | 32 | 32 |
| Black Tank Capacity (gal.) | 31 | 31 | 31 | 29 |
| Exterior Storage (cu. ft.) | 60 | 80 | 70 | 100 |
| Awning Length | 18' | 21' | 19' | 21' |

GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GWWR minus UWW. Available CCCC should accommodate fresh potable water (8.3 lbs per gailon). Before filing the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Coachmen motorhome is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Coachmen motorhome prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

LEPRECHAUN PREMIER EXTERIOR OPTIONS



STANDARD GRAPHICS PACKAGE



PAINTED CHASSIS CAB



PARTIAL BODY PAINT



OPTIONAL STARFIRE FULL BODY PAINT



OPTIONAL STEEL FULL BODY PAINT

