## SOLAIRE By Palomino

J.

SOLAIRE

8 8



AIRE



### solaire EXPANDABLES

All new Solaire Expandables represent true quality in the industry with a complete aluminum framed superstructure all floorplans come standard with true queen beds, efficient ride of the torsion axle and a barreled full walk on laminated roof, Palomino has truly hit the target with these 5 remarkable floorplans.

## solaire SEVENS

This sleek yet strong and graceful design allows for easy towability and exceptional rear visibility. Our laminated, crowned roof that's fully walkable and allows for increased interior head room. With interiors designed to make your camping experience a relaxing adventure.





## SOLAIRE WITH ECLIPSE PACKAGE

Our Eclipse package brings additional luxury into our Ultra Lite floorplans. From a fiberglass front cap with LED lighting and Line X<sup>®</sup> rock guard, frameless windows, aluminum wheels and upgraded Serta Trump <sup>®</sup> Mattress and several other features we have all the amenities encompassed.

\*\* This package will increase trailer weight by approximately 250 lbs.





# SOLAIRE EXPANDABLES

Expandables are available in 5 spacious floorplans to meet all the needs of the consumer with both pearl and white fiberglass exterior available.





### **WEIGHTS & MEASURES**

| 147 | X | * |
|-----|---|---|
|-----|---|---|

| Hitch Dry Weight  | 315 LBS   | Exterior Width          | 8'       |
|-------------------|-----------|-------------------------|----------|
| Dry Axle Weight   | 2720 LBS. | Travel Length           | 18'4"    |
| Total Dry Weight  | 3011 LBS. | Fresh Water Capacity    | 32 GALS  |
| GVWR              | 3815 LBS. | Gray Water Capacity     | 30 GALS  |
| Interior Height   | 6'8"      | Black Water Capacity    | 30 GALS. |
| Exterior Height * | 10'10"    | Cargo Carrying Capacity | 746 LBS. |



### **WEIGHTS & MEASURES**

| Hitch Dry Weight  | 620 LBS.  |
|-------------------|-----------|
| Dry Axle Weight   | 3990 LBS. |
| Total Dry Weight  | 4622 LBS. |
| GVWR              | 7620 LBS. |
| Interior Height   | 6'8"      |
| Exterior Height * | 10'10"    |

| Exterior Width       |
|----------------------|
| Travel Length        |
| Fresh Water Capacity |
| Gray Water Capacity  |
| Black Water Capacity |
|                      |

Cargo Ca

| Vidth           | 190 X     |
|-----------------|-----------|
| ngth            | 8'        |
| ter Capacity    | 22'11"    |
| er Capacity     | 32 GALS   |
| ater Capacity   | 30 GALS   |
| rrying Capacity | 30 GALS   |
|                 | 2976 LBS. |



| WEIGHTS & MEASURES |           |  |
|--------------------|-----------|--|
| Hitch Dry Weight   | 400 LBS.  |  |
| Dry Axle Weight    | 3060 LBS. |  |
| Total Dry Weight   | 3392 LBS. |  |
| GVWR               | 7400 LBS. |  |
| Interior Height    | 6'8"      |  |
| Exterior Height *  | 10'10"    |  |

| Exterior Width          | 163 X   |
|-------------------------|---------|
| Travel Length           | 8'      |
| Fresh Water Capacity    | 20'2"   |
| Gray Water Capacity     | 32 GALS |
| Black Water Capacity    | 30 GALS |
| Cargo Carrying Capacity | 30 GALS |



WEIGHTS & MEASURES

Hitch Dry Weight 600 LBS. Dry Axle Weight 4085 LBS. Total Dry Weight 4645 LBS. GVWR 7600 LBS. Interior Height 6'8" Exterior Height \* 10'10"

| Exterior Width          |   |
|-------------------------|---|
| Travel Length           | 8 |
| Fresh Water Capacity    | 2 |
| Gray Water Capacity     | 3 |
| Black Water Capacity    | 3 |
| Cargo Carrying Capacity | 3 |
|                         | 2 |

|       | 8'       |
|-------|----------|
| ty    | 23'9"    |
| у     | 32 GALS. |
| ity   | 30 GALS. |
| acity | 38 GALS. |
|       | 2881 LBS |

163 X

3906 LBS.



| WEIGHTS & MEASURES |           |  |
|--------------------|-----------|--|
| Hitch Dry Weight   | 605 LBS.  |  |
| Dry Axle Weight    | 3675 LBS. |  |
| Total Dry Weight   | 4280 LBS. |  |
| GVWR               | 7605 LBS. |  |
| Interior Height    | 6'8"      |  |
| Exterior Height *  | 10'10"    |  |

| Exterior Width          | 213 X     |
|-------------------------|-----------|
| Travel Length           | 8'        |
| Fresh Water Capacity    | 25'2"     |
| Gray Water Capacity     | 32 GALS   |
| Black Water Capacity    | 30 GALS   |
| Cargo Carrying Capacity | 30 GALS   |
|                         | 3291 LBS. |

\* 147 X SINGLE AXLE WITH 5 CU. FT. REFRIGERATOR AND NO DUCTED A/C.

ALL EXPANDABLES HAVE A 19" TV OPTION.





# SOLAIRE SEVENS

These innovative 7' wide travel trailers allow for a more aerodynamic towing experience. Suited for all your camping needs and creatively designed to be your home away from home.





Show in almond interior. Three available floor plans all standard with hard wood cherry cabinetry and LED interior lighting and optional 32" LED TV.





### WEIGHTS & MEASURES

 Hitch Dry Weight
 545 lbs.

 Dry Axle Weight
 4220 lbs.

 Total Dry Weight
 4690 lbs.

 GVWR
 7545 lbs.

 Interior Height
 6'6"

 Exterior Width
 7'

| Travel Length           | 29'5"     |
|-------------------------|-----------|
| Fresh Water Capacity    | 32 gals.  |
| Gray Water Capacity     | 60 gals.  |
| Black Water Capacity    | 30 gals.  |
| Cargo Carrying Capacity | 2746 lbs. |



### WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight GVWR Interior Height Exterior Width

570 lbs. 4190 lbs. 4695 lbs. 7570 lbs. 6'6" 7'

| Travel Length      |
|--------------------|
| Fresh Water Capac  |
| Gray Water Capaci  |
| Black Water Capac  |
| Cargo Carrying Cap |
|                    |

| şth           | 29'5"     |
|---------------|-----------|
| er Capacity   | 32 gals.  |
| r Capacity    | 60 gals.  |
| er Capacity   | 30 gals.  |
| ying Capacity | 2776 lbs. |



### WEIGHTS & MEASURES

Hitch Dry Weight610 lbs.Dry Axle Weight4390 lbs.Total Dry Weight4990 lbs.GVWR7610 lbs.Interior Height6'6"Exterior Width7'

28 QBSS

Travel Length32'6"Fresh Water Capacity32 gals.Gray Water Capacity30 gals.Black Water Capacity30 gals.Cargo Carrying Capacity2576 lbs.

7



# SOLAIRE ULTRA LITE

Exceptional elegance with all the residential features you could desire. These Ultra Lite travel trailers are light weight with plenty of comforts to make your family camping trips a dream come true.





Bunk house floorplans available

Pass thru storage with LED lighting



WEIGHTS & MEASURES Hitch Dry Weight 400 LBS. 3390 LBS. Dry Axle Weight Total Dry Weight 3742 LBS. GVWR 7400 LBS.

6'8"

10'10"

Interior Height

Exterior Height

| Gray Water Capacity<br>Black Water Capacity | 23'6"<br>32 GALS.<br>30 GALS.<br>30 GALS.<br>3576 LBS. |
|---|--|
|---|--|



WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight GVWR Interior Height 6'8" Exterior Height 10'10'

550 LBS. Travel Length 3325 LBS. 3851 LBS. 7550 LBS.

25'4" Fresh Water Capacity 32 GALS. Gray Water Capacity 30 GALS. Black Water Capacity 30 GALS. Cargo Carrying Capacity 3641 LBS.

209 BH \*



### **WEIGHTS & MEASURES**

Hitch Dry Weight 730 LBS. 3985 LBS. Dry Axle Weight Total Dry Weight 4691 LBS. GVWR 7730 LBS. Interior Height 6'6" Exterior Height 10'10"

| Travel Length           | 26'1"    |
|-------------------------|----------|
| Fresh Water Capacity    | 32 GALS. |
| Gray Water Capacity     | 68 GALS. |
| Black Water Capacity    | 38 GALS. |
| Cargo Carrying Capacity | 2981 LBS |
|                         |          |

**229 BHS** 

32 GALS.

76 GALS.

38 GALS.

2891 LBS



#### WEIGHTS & MEASURES

| TELOTIO O PILACON | 20        |
|-------------------|-----------|
| Hitch Dry Weight  | 590 LBS.  |
| Dry Axle Weight   | 5075 LBS. |
| Total Dry Weight  | 5463 LBS. |
| GVWR              | 8590 LBS. |
| Interior Height   | 6'8"      |
| Exterior Height   | 10'10"    |
|                   |           |

| 247                     | RKES    |
|-------------------------|---------|
| Travel Length           | 27'10"  |
| Fresh Water Capacity    | 32 GAL  |
| Gray Water Capacity     | 76 GAL  |
| Black Water Capacity    | 38 GAL  |
| Cargo Carrying Capacity | 2891 LI |



### WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight GVWR Interior Height Exterior Height

710 LBS. 4305 LBS. 4991 LBS. 7710 LBS. 6'8" 10'10"

| Travel Length           | 25'10"    |
|-------------------------|-----------|
| Fresh Water Capacity    | 32 GALS.  |
| Gray Water Capacity     | 68 GALS.  |
| Black Water Capacity    | 38 GALS.  |
| Cargo Carrying Capacity | 2661 LBS. |
|                         |           |

226 RBK



### **WEIGHTS & MEASURES**

| Hitch Dry Weight |
|------------------|
| Dry Axle Weight  |
| Total Dry Weight |
| GVWR             |
| Interior Height  |
| Exterior Height  |

**WEIGHTS & MEASURES** 

Hitch Dry Weight

Dry Axle Weight

Total Dry Weight

Interior Height

Exterior Height

GVWR

4590 LBS.



5239 LBS. 7800 LBS. 6'8" 10'10"

790 LBS.

5175 LBS.

5895 LBS.

7790 LBS.

6'8"

10'10"

800 LBS.

Travel Length 27'1' Fresh Water Capacity Gray Water Capacity Black Water Capacity Cargo Carrying Capacity 2376 LBS

32 GALS. 68 GALS. 38 GALS.



### 263 RBDSK

| ravel Length            | 30'0"    |
|-------------------------|----------|
| resh Water Capacity     | 32 GALS. |
| Gray Water Capacity     | 68 GALS. |
| Black Water Capacity    | 38 GALS. |
| Cargo Carrying Capacity | 1791 LBS |

\* 192 RB & 209 BH HAVE MURPHY BEDS



\* OUTSIDE KITCHEN DRAINS INTO BLACK WATER TANK



# SOLAIRE WILL ECLIPSE PACKAGE

Upgrade your Ultra Lite trailer with the quality and durability of our Eclipse package which offers the elements of a fiberglass front cap with LED lights and Line X<sup>®</sup> rock guard, solid surface counter tops and much more.



OUTSIDE KITCHEN STANDARD ON 317 BHSK AND 318 TSBHK



### FLOORPLANS & SPECIFICATIONS SOLAIRE WITH ECLIPSE PACKAGE





TOFFEE



INDIGO



**MORTISE AND TENON CHERRY HARD WOOD CABINET DOORS** 



WEIGHTS & MEASURES

Hitch Dry Weight Dry Axle Weight Total Dry Weight GVWR Interior Height 6'8" 10'10' Exterior Height

710 LBS. Travel Length 4305 LBS. 4991 LBS. 7710 LBS.

**226 RBK** 25'10" 32 GALS. Fresh Water Capacity 68 GALS. Gray Water Capacity 38 GALS. Black Water Capacity Cargo Carrying Capacity 2661 LBS.



**239 DSBH** 

27'1"

32 GALS.

68 GALS.

38 GALS.

**WEIGHTS & MEASURES** Hitch Dry Weight 800 LBS. Dry Axle Weight 4590 LBS. Total Dry Weight 5239 LBS. GVWR 7800 LBS. Interior Height 6'8" Exterior Height 10'10'

Travel Length Fresh Water Capacity Gray Water Capacity Black Water Capacity Cargo Carrying Capacity 2376 LBS.



### **WEIGHTS & MEASURES**

790 LBS. Hitch Dry Weight 5175 LBS Dry Axle Weight Total Dry Weight 5895 LBS. GVWR 7790 LBS. Interior Height 6'8" Exterior Height 10'10'





Dry Axle Weight Total Dry Weight GVWR Interior Height Exterior Height

3985 LBS. 4691 LBS. 7730 LBS. 6'6" 10'10'

| 229 | BHS |
|-----|-----|
|     |     |

| l Length          | 26'1"    |
|-------------------|----------|
| Water Capacity    | 32 GALS. |
| Water Capacity    | 76 GALS. |
| Water Capacity    | 30 GALS. |
| Carrying Capacity | 2981 LBS |
| , , , ,           |          |



Grav

Black

Cargo

WEIGHTS & MEASURES Hitch Dry Weight Dry Axle Weight 590 LBS. 5075 LBS. Total Dry Weight 5463 LBS. GVWR 8590 LBS. Interior Height 6'8" Exterior Height 10'10'

#### 27'10" Travel Length Fresh Water Capacity 32 GALS. Grav Water Capacity 76 GALS. **Black Water Capacity** 38 GALS. Cargo Carrying Capacity 2891 LBS.



### OUTSIDE KITCHEN

| WEIGHTS & MEASURES |           |  |
|--------------------|-----------|--|
| Hitch Dry Weight   | 885 LBS.  |  |
| Dry Axle Weight    | 4475 LBS. |  |
| Total Dry Weight   | 5290 LBS. |  |
| GVWR               | 7885 LBS. |  |
| Interior Height    | 6'8"      |  |
|                    |           |  |
| Exterior Height    | 10'10"    |  |

| Travel Length           | 30'11"    |
|-------------------------|-----------|
| Fresh Water Capacity    | 32 GALS.  |
| Gray Water Capacity     | 76 GALS.  |
| Black Water Capacity    | 38 GALS.  |
| Cargo Carrying Capacity | 2491 LBS. |
|                         |           |

**267 BHSK** 

### ECLIPSE PACKAGE AVAILABLE

- 1. Fiberglass Front Cap w/ LED Lights and Line X® Rock Guard
- 2. Power Stablizer Jack Pack (Includes Electric **Tongue Hitch)**
- Frameless Windows З.
- 4. Serta® Trump Metropolitan Mattress
- 5. Solid Surface Countertops
- 6. Aluminum Wheels

NOTE: THE ECLIPSE PACKAGE WILL ADD 250 LBS.



### **292 QBSK**

| WEIGHTS & MEASURES |           |  |
|--------------------|-----------|--|
| Hitch Dry Weight   | 780 LBS.  |  |
| Dry Axle Weight    | 4955 LB.S |  |
| Total Dry Weight   | 5683 LBS. |  |
| GVWR               | 7780 LBS. |  |
| Interior Height    | 6'8"      |  |
| Exterior Height    | 10'10"    |  |





**307 QBDSK** 

| WEIGHTS & MEASL  | JRES      | 001 4                   | JUON      |
|------------------|-----------|-------------------------|-----------|
| Hitch Dry Weight | 835 LBS.  | Travel Length           | 33'11"    |
| Dry Axle Weight  | 5290 LBS. | Fresh Water Capacity    | 32 GALS.  |
| Total Dry Weight | 5960 LBS. | Gray Water Capacity     | 30 GALS.  |
| GVWR             | 8835 LBS. | Black Water Capacity    | 38 GALS.* |
| Interior Height  | 6'8"      | Cargo Carrying Capacity | 2676 LBS. |
| Exterior Height  | 10'10"    |                         |           |



#### **WEIGHTS & MEASURES**

| Hitch Dry Weight | 625 LBS.  |
|------------------|-----------|
| Dry Axle Weight  | 6200 LBS. |
| Total Dry Weight | 6726 LBS. |
| GVWR             | 8625 LBS. |
| Interior Height  | 6'8"      |
| Exterior Height  | 10'10"    |
|                  |           |



Cargo Carrying Capacity 1766 LBS.



### OUTSIDE KITCHEN

**WEIGHTS & MEASURES** 955 LBS. Hitch Dry Weight Dry Axle Weight 4655 LBS. 5590 LBS. Total Dry Weight 8955 LBS. GVWR Interior Height 6'8" Exterior Height 10'10"

| Travel Length           |
|-------------------------|
| Fresh Water Capacity    |
| Gray Water Capacity     |
| Black Water Capacity    |
| Cargo Carrying Capacity |

|          | 32'3"     |
|----------|-----------|
| pacity   | 32 GALS.  |
| acity    | 76 GALS.  |
| pacity   | 38 GALS.  |
| Capacity | 3311 LBS. |



#### WEIGHTS & MEASURES

Hitch Dry Weight 615 LBS. Dry Axle Weight 5275 LBS. Total Dry Weight 5773 LBS. GVWR 8615 LBS. Interior Height 6'8" Exterior Height 10'10"

Travel Length Fresh Water Capacity Gray Water Capacity Black Water Capacity





### **315 RLTSEK**

WEIGHTS & MEASURES Hitch Dry Weight 815 LBS. Dry Axle Weight 5975 LBS. Total Dry Weight 6588 LBS. GVWR 8815 LBS. Interior Height 6'8" Exterior Height 10'10"

Travel Length 35'4" Fresh Water Capacity 32 GALS. Gray Water Capacity 76 GALS. **Black Water Capacity** 38 GALS. Cargo Carrying Capacity 1991 LBS.



### WEIGHTS & MEASURES O LBS.

| Hitch Ury Weight | 890 LBS.  |
|------------------|-----------|
| Dry Axle Weight  | 6235 LBS. |
| Total Dry Weight | 7125 LBS. |
| GVWR             | 8890 LBS. |
| Interior Height  | 6'8"      |
| Exterior Height  | 10'10"    |

| 35'4"    |
|----------|
| 32 GALS. |
| 38 GALS. |
| 38 GALS. |
| 1731 LBS |
|          |

### SOLAIRE ROCK-SOLID CONSTRUCTION

 $\widehat{\mathbf{C}}$ 

D

E

M

L)

A. Alpha Super Flex Membrane

K

- B. Luan Substrate
- C. Fiberglass Exterior
- D. Luan substrate
- E. High density block foam insulation
- F. Fiberglass exterior
- G. High density block foam
- insulation
- H. Luan substrate

- I. Fiberglass front cap w/LED lights and Line X<sup>®</sup> Rock Guard (Eclipse Package only)
- J. Residential Style Carpeting
- K. Fully welded aluminum super structure
- L. High density block foam insulation
- M. Luan substrate top

N. Luan substrate – bottom

 $(\mathbf{A})$ 

В

H

G

F

J

N

0

- 0. Beau Flor® -vinyl flooring
- P. Under floor holding tanks
- Q. Upgraded aluminum wheels
  - (Eclipse package only)

14

### SOLAIRE POPULAR FEATURES



Solid surface exterior kitchen counter tops standard on available floorplans for added durability in all climate conditions.

Solaires include a standard torsion axle with independent wheel suspension (N/A on Sevens) and includes rubber cushioning to eliminate the metal on metal contact.



Optional Serta Trump® Mattress upgrade – provides a restful sleep with the most advanced 900 coil support system. The superior quality of the Serta Trump® helps provide the luxuries of home in your R.V.



The electric awning with self-contained LED light strip provides quick and easy set-up.



- LED interior lighting provides:
- · 80% less power
- Emits less heat
- LED's last 30,000 hours vs.
   1,000 hours of halogen
- COB (chip on board) is the latest technology in LED lighting COB's and bulbs are both 3200k, for consistent appearance throughout



VACUUM-BONDED LAMINATED CONSTRUCTION Solaire provides a fully 6 sided vacuum-bonded trailer. Our walls, floors, roof, fronts and backs are all built vacuum-bonded to ensure a light weight strong structural trailer.



VAULTED RADIUS ROOF Vacuum bonded radius roof with vaulted ceiling providing superior insulation and more interior height.

## SOLAIRE STANDARDS & OPTIONS

### **STANDARD FEATURES**

- · 6 Sided vacuum bonded construction
- Dexter or AL-KO torsion axle (N/A Sevens)
- · Laminated full walk on barreled roof
- · Full welded aluminum super structure
- Beau Flor® vinyl flooring
- · Mortise and Tenon Cherry hard wood cabinet
- · Pocket screw lumber core cabinets
- Laminated roof w/ducted A/C (Except 147 X)
- · Pleated fabric window shades
- · Pantries w/removable shelves and clothes rods
- · Gel coated pearl fiberglass

### **COMMONLY ORDERED OPTIONS**

- · Aluminum wheels
- · Counter top extension (N/A on all floorplans)
- · High gloss white fiberglass exterior
- RVQ grill w/ bumper mount (bumper mount N/A on X's)
- Roof Ladder (N/A on X's and 297 RLDS, 315 RLTSEK, 239 DSBH)
- · Spare tire, carrier and cover
- · LĖD TV (sizes vary depending on floorplan)
- · Solid surface counter tops
- · Serta Trump<sup>®</sup> Mattress Upgrade
- · Power front jack
- · Power Stabilizer Jacks
- · Water Tank Heaters
- · Tri-Fold Hide A Bed
- · Island fireplace





Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



PALOMINO RV 1047 EAST M-86 | COLON, MI 49040 P: 269.432.3271 | F: 269.432.2516 www.palominorv.com

All illustrations and specifications contained in this literature are based on the latest product information at time of publication. Forest River, Inc. reserves the right to make changes in prices, colors, materials, equipment and specifications at anytime without notice and assumes no responsibility for any error in this literature. All weights shown are approximate. All units are shipped F.O.B. point of manufacture. CONSULT YOUR LOCAL DEALER FOR WA RRANTY INFORMATION. Litho U.S.A. 2013.11.25 FOR 1097