







R•POD STANDARDS

CHASSIS/RUNNING GEAR

- Powder coated steel frame
- 2" coupler
- Electric brakes
- LED taillights
- Independent "Torsion" suspension system
- Aluminum split spoke wheels
- 14" radial tires
- Spare tire
- Super-lube hubs

- Stabilizer jacks (4)Dual battery rackRotocast holding tanks
- Rotocast fresh water tank

APPLIANCES/EQUIPMENT

- Gas/electric DSI water heater
- Water heater by-pass system
- 3-Way refrigerator 4.2 cu. ft.
- Two burner range top
- 20,000 BTU furnace
- 12 volt water pump
- Monitor panel
- 55 amp converter w/ charger
- Detachable power cord 28¹
- Air conditioner ready
 3 speed Fantastic Fan
 Adjustable shower head
- Thetford® toilet

- Breakaway switch
- Fire extinguisher
- LP detector
- Smoke detector
- CO detector
- Safety chainsDead-bolt door lock
- Ground fault protected electrical circuit

INTERIOR

- Wet bath w/ integrated toiletNo-wax seamless vinyl flooring
- Solid lumber core cabinet fronts assembled with screws
- Raised panel cabinet doors w/ glazed finish
- Hardwood drawer fronts w/ full extension ball bearing drawer guides
 • Decorative window treatments
- Decorative shower curtain w/ tieback
- Mini blinds where applicable
- Bedroom pocket organizer
- Bathroom pocket organizers
- Kitchen sink cover
- Bathroom sink
- E-Z glide dinette table (N/A RP181G)

- Custom tinted safety glass windows
- 20# LP tank w/ cover
- Aluminum wheel fenders
- Patio light w/ amber lens
- Exterior 120 volt recept
- License plate holder w/ lightWelded aluminum sidewalls and floor
- Laminated sidewalls, floor and roof
- Seamless roof
- Lamilux 4000 Cool Vanilla gel coat fiberglass
- Radius entrance and baggage doors
- Folding assist grab handle
- Entry door step
- Black tank flush
- Rear spoiler with L.E.D. clearance lights
- TV antenna

R•POD POPULAR FEATURES

- One piece seamless fiberglass roof
- 6' 6" interior height
- Large 30-35 gallon holding
- Wet bath with integrated toilet & sink
- 20,000 BTU furnace
- 6 gallon G/E DSI water heater
- Independent torsion axle
- Aluminum rims

- Tinted safety glass windows
- 3-speed Fantastic Fan
- Raised panel cabinet doors
- 4.2 cu. ft. refrigeratorLED taillights
- Large folding assist grab handle
- Detachable power cord
 Black tank flush
- 4 scissor stabilizer jacks

R•POD OPTIONS

R-dome awning with screen room	20 LBS
Convection microwave	51 LBS
• 13.5K BTU low profile air conditioner	95 LBS
Axle riser	20 LBS
Bike carrier (2 bikes)	13 LBS
• 19" LCD flat screen TV (RP176 & RP176T)	
(STD. RP181G & RP182G)	15 LBS
Dolby Digital AM/FM/CD/DVD/TV combo	7 LBS



 R•Pods only authorized 2 place bike rack. (optional)

R•POD INTERIOR COLORS



TUSCANY



HARVEST



ESPRESSO








SPICE


R•POD TENT


The R•pod is a perfect example of "form follows function," with its breakthrough tent design featuring the Aqualon™ vinyl. Aqualon™ is a durable and breathable tent material that remains flexible in all climates and is resistant to mildew. Sleeping in a tent never felt so good.

















ST=STORAGE, PT=PASS THRU STORAGE

4	MODEL	RP-171	RP-172	RP-172T	RP-176	RP-176T	RP-177	RP-181G	RP-182G
	UNLOADED VEHICLE WEIGHT	2205	2128	2377	2459	2621	2418	2775	2766
0	HITCH WEIGHT	225	244	244	296	278	245	319	379
0	LOAD CAPACITY	1003	1099	1350	1320	1140	1310	1027	1096
	EXTERIOR LENGTH W/O SPARE TIRE	18'4"	18'4"	18'4"	18'6"	18'6"	18'8"	20'0"	20'0"
	EXTERIOR POD WIDTH	6'5"	6'5"	6'5"	6'5"	6'5"	6'5"	6'5"	6'5"
8	EXTERIOR OVERALL WIDTH	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
0.00	EXTERIOR HEIGHT	8'7"	8'7"	8'8"	8'8"	8'8"	8'8"	8'8"	8'8"
	EXTERIOR HEIGHT W/ A/C	9'6"	9'6"	9'7"	9'7"	9'7"	9'7"	9'7"	9'7"
000	LP CAPACITY LBS	20	20	20	20	20	20	20	20
	FRESH WATER GAL.	36	36	36	36	36	36	36	36
3	GREY WATER GAL	35	35	35	30	30	30	30	30
100	BLACK WATER GAL	35	35	35	30	30	30	30	30
	TIRE SIZE: 205/75/R14	STD	STD	STD	STD	STD	STD	STD	STD

WE KNOW WEIGHTS AND DIMENSIONS ARE AN IMPORTANT PART OF YOUR BUYING DECISION. ROPOD WEIGHS EVERY MODEL TO ENSURE ACCURACY, ALTHOUGH REFINEMENTS TO THE PRODUCT CAN CREATE VARIATIONS TO WEIGHTS AND DIMENSIONS. REVIEW A CURRENT MODEL AT YOUR NEAREST ROPOD DEALER TODAY.





Peace of mind.

Forest River has yet another exclusive feature to offer: One year of free roadside assistance will be given to every new r•Pod customer. This is just one more way to say "Thank you" and to ensure an enjoyable traveling experience.



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
-) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



Forest River, Inc. 2405 Century Dr. Goshen, IN 46528 (574) 642-3119 www.forestriverinc.com www.forestriveriaccessories.com Your RePod Dealer: