

MBS





3050S Shown in Khaki Decor with Rustic Cherry cabinetry

SUNSEEKER

TK

Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Sunseeker comfortable and loads of fun. Sunseeker's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Sunseekers are "Certified Green" by TRA Certification.

STANDARD SERIES TOP FEATURES

- Lane departure warning system
- 7' Ceiling height
- Crowned fiberglass roof
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- Firestone Ride-Rite[™] suspension
- Heated enclosed tanks
- Water filtration system
- Electric awning with LED lights
- Valve extensions for rear tires
- 7,500 Lb. tow rating (Ford only)

- Two cab-over windows in bunk area (N/A Trekker cap option)
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- 40" 12V LED TV
- Standard side view and back-up cameras
- Slide out awning toppers
- Surround sound with exterior speakers
- CarPlay/Android Play Sony[®] stereo
- Maxx Air vent with cover
- Solar prep

Shown with the low profile, seamless Trekker cap for aerodynamic styling and improved fuel economy.

Topaz full body paint option



2420MS Shown in Stone decor with Rustic Cherry Cabinetry



2420MS Rear bath/closet



Lane Departure Warning System



- (N/A on LE and Transit models)
- NEW Voyager[®] VBSD1 Blind Spot Detection System
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear
- Beacon flashes with an audible alert when turn signal is engaged

REFE OUTSIDE KITCHEN 2860DS

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP

00

STORAGE

60" x 80" BUNK MAT

OR OPT

REKKER CA

W/BUILT-IN ENT. CENTER

I ED(TV

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may more cargo capacity.

WARD/DRESSE

QUEEN BED 60" X 74"

27" x 72" BUNK BEDS

Ľ.

**Estimated average based on standard build optional equipment.

3040DS

ENT. CENTE

SOFA

南

32" OPT. OUTSIDE TV

-0HC

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.



be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.







OHC

FLIP C-TOP

ENTRY

PT. 4 DOOI

2 DOOR REFER

W/PANTR

DINETTI 2" x 68

FOOT FOOT REST REST

32" OPT. OUTSIDE TV

ОНС

SOFA

LED TV

60" x 80" BUNK MAT OR OPT. IREKKER CAP W/BUILT-IN ENT. CENTER

STORAGI

3270S



2500TS MED. CAB. ٢

 \mathbb{N}

REFER

3050S

32705



ENTRY

OHC





OHO 2440DS

€

DINETTE 41" x 76"

OPT. OUTSIDE TV

28" OPT. OUTSIDE TV

equipment and accessories. For safety and product performance do NOT exceed the GVWR.

*Estimated Average based on standard build optional equipment.

WARD DRAWER

QUEEN BED 60" x 80"

N/S

DECOR



Sunseeker Ford • Chevy Chassis	22905	2440DS	2500TS	2860DS	3010DS	3040DS	3050S	3270S
Wheelbase	158"•159"	182″	182" • 183"	202"•203"	220″	220″	220″	220″
GVWR	14500 • 14200	14500	14500 • 14200	14500 • 14200	14500	14500	14500	14500
GAWRR	9600 • 9600	9600	9600 • 9600	9600 • 9600	9600	9600	9600	9600
GAWRF	5000 • 4600	5000	5000 • 4600	5000 • 4600	5000	5000	5000	5000
UVW	10624 • 10452	11690	11873 • 11910	12500 • 12550	12780	12930	12910	12917
GCWR	22000 • 20000	22000	22000 • 20000	22000 • 20000	22000	22000	22000	22000
000	3876 • 3748	2810	2627 • 2290	2000 • 1650	1720	1570	1590	1583
Fuel Capacity (Gal.)	55 • 57	55	55 • 57	55 • 57	55	55	55	55
Hitch Rating	7500/500 • 5000/500	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	24' - 6" • 25'	27' - 1″	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32' - 3″	32'-3"	31'-11″	31'-11"
Exterior Height With A/C	11'-3″	11' - 3″	11'-3″	11'-3″	11'-3″	11'-3″	11'-3″	11'-3″
Exterior Width	101″	101″	101″	101″	101″	101″	101″	101″
Interior Width	95.5″	95.5″	95.5″	95.5″	95.5″	95.5″	95.5″	95.5″
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15'-6"	18′	18′	14′	15' - 6"	16′	18′	16'
Water Heater (Gal.)	6	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	50	50	62.5	101.7	78	81.8	81.8

PAINT OPTIONS

STANDARD Exterior



OXFORD Full body paint



TOPAZ Full body paint



SUNSEEKER

NOW PREWIRED FOR SOLAR ON THE SIDE*

POWERFUL SOLAR CHARGING KIT • Freedom to explore off-grid locations



- High-efficiency 100 watt monocrystalline solar panel
- Expandable up to 500 watts
- Low-profile panel, invisible from the road

DIGITAL SOLAR CONTROLLER

- Produces more charging power
- Displays solar charge and battery capacity

SOLAR ON THE SIDE PORT

• Pre-wired for a portable solar kit. Simply plug in an 80 or 120-watt portable solar kit!



WHY GO SOLAR?





ZERO FUEL No generator required to run





RENEWABLE and safe power source



SOLAR ON THE SIDE™ solar connection

* Optional SOLAR ON BOARD upgrade is available



Large panoramic windows with blackout shades for plenty of fresh air and natural light.



12V 4-Port USB charging station (Living room/bedroom, N/A LE)

Seamless front cap for enhanced

aerodvnamics

Solar Prep



LED liahts generate almost no heat compared to incandescent lights and use substantially less power.



Winterizing tube provides easy access for quick maintenance includes bypass valve.



The overhead bunk is rated for 440 lbs. and includes a cab over safety net



Outside speakers





Sunseeker is appointed with rich residential style hardwood cabinetry with ball bearing drawer glides



Two batteries in a single housing for easy access. (One battery LE and Transit)



This Winegard HD digitally amplified antenna enhances reception.

Progressive Dynamics patented 4-stage Charge Wizard[®] converter system has been shown to increase battery life by 2 to 3 times or more. It constantly monitors battery usage

and voltage, then selects one of four operating modes to properly charge and maintain the battery. Boost, Normal, Storage and Equalization.

This holding tank vent cap eliminates odors and gases from the holding tanks and exhausts them out the roof. without the use of costly chemicals.











Durable, easy to clean (R-18) crowned fiberglass roof sheds water and doesn't cause black streaks like a rubber roof.



Sunseeker's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



Maxx Air Fan recirculates air throughout the entire coach.



Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.

Firestone Ride-Rite Advantages include adjustable air springs provide an improved ride, and a better way to balance loads



Heated/enclosed holding tanks use warm air from the furnace to protect tanks and valves. (N/A 2250 SLE, MBS and Transit)



Comfortable sofa with footrests, folding armrests and drink tray converts to a convenient sleeping area.



The Sony touch screen in-dash stereo system pairs up with your smart phone for access to Apple CarPlay/Android GPS and other applications. (N/A on Transit or LE)



All models include Atwood ducts for high performance air flow throughout the coach and front cabover.



Extend and retract the power awning with the push of a button. Both arms are adjustable to get just the right angle.



This multimedia entertainment system features AM/FM/DVD, Bluetooth, plus outside speaker control.



SUNSEEKER VS. THE COMPETITION



CONSTRUCTION

DARE TO COMPARE

Multi-Layered Laminated Roof System

- 1. Crowned Fiberglass Roof 4. A/C Ducts
- 2. Luan Decking
- 3. Block Foam Insulation
- 5. Tubular Aluminum Framing

17

18

15

6. Interior Ceiling Material

Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- 12. Lightweight Composite Waterproof Material
- 13. Gelcoat Fiberglass Exterior

Vacuum-Bond Laminated Floor System

- 14. Fiberglass Bottom Board 17. Resilient Shaw Floors **15.** Block Foam Insulation
- 16. Seamless Floor Decking
- Throughout **18.** Aluminum Framing

INTERACTIVE MOBILE MANUALS

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment

from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content



and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!

of your Sunseeker product. Ranging

7



SUNSEEKER D



2250SLE Shown in Stone Decor with optional Weathered Teak cabinetry



LE SERIES TOP FEATURES

- Fiberglass front cap
- Crowned fiberglass roof
- Fiberglass underbelly
- Fiberglass enclosed slides
- Cab-over safety net
- Cab-over curtain
- Cab-over A/C vent
- Two cab-over windows
- 40" 12V LED TV
- 2" Thick sidewalls
- Heated enclosed tanks (N/A 2250SLE)
- Pass through storage
- Enclosed dump station
- Enclosed house battery
- One-piece pressed countertop
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Two large storage drawers in dinette
- Dinette child tethers
- Sofa foot rest
- Kid zone with seat belts (3250DSLE)
- Whole house entertainment
- Outdoor speakers
- Progressive Dynamics convertor with Quick Recovery
- Integrated step
- Pillow top mattress
- MCD Black-out roller shades
- Spare tire
- Lightweight substrate insulation











2250SLE Shown in Stone Decor with optional Weathered Teak cabinetry

Ford • Chevy	2250SLE	2350LE	2850SLE	3250DSLE
Wheelbase	158"•159"	158"•159"	220″	220″
GVWR	14500 • 14200	14500 • 14200	14500	14500
GAWRR	9600 • 9600	9600 • 9600	9600	9600
GAWRF	5000 • 4600	5000 • 4600	5000	5000
UVW	10550 • 10590	10100 • 10130	11742	12580
GCWR	22000 • 20000	22000 • 20000	22000	22000
CCC	3950 • 3610	4400 • 4070	2758	1920
Fuel Capacity (Gal)	55 • 57	55 • 57	55	55
Hitch Rating	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500
Length - Bumper To Bumper	23'- 10" • 24' - 4"	24' - 6" • 25'	31'-5"	32' - 3"
Exterior Height With A/C	11' - 3″	11'-3″	11'-3″	11'-3″
Exterior Width	101″	101″	101″	101″
Interior Width	95.5″	95.5″	95.5″	95.5″
Interior Height Frt/Rear	84"/77"	84"/77″	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal)	35/32/27	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal)	9.8	9.8	9.8	9.8
Awning Length	14′	15' - 6"	15'-6"	11′
Water Heater (Gal)	6	6	6	6
Exterior Storage (Cu. Ft.)	32	61	102	80



3250DSLE with Kid's Sofa Sleeper/Flipdown Bunk shown with optional Rustic Cherry cabinetry.



MBS SERIES TOP FEATURES

- Lane departure warning system
- Swivel driver and passenger seats with booster seat cushions and removable table
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- Adjustable, electric awning with LED light strip
- Crowned fiberglass roof
- Water filtration system
- Standard side view and back-up camera

QUEEN BED

- Front cab magnetic blackout shades enhance privacy
 - Hellwig sway bar
 - CarPlay/Android Play Sony[®] stereo
 - Upgraded stainless steel appliances with 1.3 cu. ft. microwave
 - Gel coat sidewalls with SuperLite composite
 - Optional diesel generator
 - Slide out awning toppers
 - Optional 100W solar powered 12V charging system

	DPT. SOFA 2400R, 2400S, 2400W
--	-------------------------------------

54" x 74" MATTRES

OHC

Sunseeker MBS	2400R	2400S	2400W
Wheelbase	170.3	170.3	170.3
GVWR	11030	11030	11030
GAWRR	7720	7720	7720
GAWRF	4080	4080	4080
UVW	9944	9809	9924
GCWR	15250	15250	15250
CCC	1086	1221	1106
Fuel Capacity (Gal)	26.4	26.4	26.4
Hitch Rating	4200/350	4200/350	4200/350
Length - Bumper To Bumper	24'-11"	24' - 8"	24'- 11"
Exterior Height With A/C	11'-3"	11'-3″	11'-3"
Exterior Width	94.5″	94.5″	94.5″
Interior Width	91″	91″	91″
Interior Height Frt/Rear	81"/74"	81"/74"	81″
Fresh/Grey/Black Water (Gal)	35/30/30	35/33/33	35/32/32
L.P. Capacity (Gal)	16.6	16.6	16.6
Awning Length	16′	15'- 6″	15'- 6"
Water Heater (Gal)	6	6	6
Exterior Storage (Cu. Ft.)	75	67	50.3

MERCEDES-BENZ[®] SERIES

paired with a fuel efficient

diesel nlatform

The quality you've come to expect,



Mercedes-Benz



2400R Shown in Hazelnut Decor with optional Weathered Teak cabinetry



00

STORAG

2400W

54" y 80

BUNK MA OR OPT.



BLUETEC DIESEL ENGINE BlueTec SCR Technoloav is

one of the world's cleanest diesel engines, delivering more power, while producina fewer emissions. The 3.0I V-6 enaine boasts 188 hp and 325 lb-ft of rated torque.

2400R

STORAG

54" x 80' BUNK MA OR OPT.



Lane Departure Warning System

- NEW Voyager® VBSD1 Blind Spot **Detection System**
- Specifically engineered to enhance **Class C motorhome safety**
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear Beacon flashes with an audible alert when turn signal is engaged

Standard swivel seats and booster cushions.



TRANSIT SERIES Ultra-light weight and fuel efficient.



TS2370 Diesel only

TS SERIES TOP FEATURES

- Engineered for fuel efficiency
- Ultra-light, eco-friendly building materials
- Class-leading pass-through storage
- Residential style cabinetry
- 12V LED TV
- Gas and diesel engines available (TS2370 Diesel only)
- 5.3 Cu. ft. Eurostyle refrigerator operates on 12V/110/LP
- All enclosed bathrooms with privacy door (No wet baths)
- Passenger swivel seat
- Back-up and side view cameras

SUNSEEKER

- Power awning with LED light strip
- Interior surround sound entertainment system
- Exterior speakers
- Truma Combi electric heat and high efficiency water heater
- TS2370 Includes power twin beds that convert into a queen size bed



TS2380 Gas or diesel

Sunseeker TS	TS2370	TS2380
Wheelbase	178	178
GVWR	10360	10360
GAWRR	7275	7275
GAWRF	4130	4130
UVW	8714	8145
GCWR	13500	13500
(((1646	2215
Fuel Capacity (Gal)	25	25
Hitch Rating	-	-
Length - Bumper To Bumper	26' - 1"	25'-6"
Exterior Height With A/C	10' - 5"	10' - 5″
Exterior Width	87″	87″
Interior Width	84″	84″
Interior Height Frt/Rear	78″	78″
Fresh/Grey/Black Water (Gal)	35/30/28	35/30/30
L.P. Capacity (Gal)	9.8	9.8
Awning Length	15′	15″
Water Heater (Gal)	2.5	2.5
Exterior Storage (Cu. Ft.)	30.5	29

The ultra-light Sunseeker TS is engineered for fuel efficiency with eco-friendly

building materials.

Saver FAR



Transit Series is available in Charcoal decor only.

DECOR





SUNSEEKER STANDARD FEATURES & OPTIONS

	66	CTC	MDC	1.5	TC
WARRANTY	SS		MBS	LE	TS
12 Months/12,000 mile basic limited warranty	S	S	S	S	S
Chassis warranty (see owners manual)		676	1400		-
SYSTEMS	SS		MBS	LE	TS
Battery disconnect	S	S	S	S	S
Water heater bypass	S	S	S	S	S
(2) Deep cycle coach batteries (1 battery in LE and Transit)	S	S	S	S	S
"Easy Access" battery in step-well	S	S	S	S	S
30 Amp service with detachable cord	S	S	S	S	S
60 Amp Progressive Dynamics converter	S	S	S	S	S
6 Gallon DSI gas/electric water heater	S	S	S	S	—
30,000 BTU furnace	S	S	S	S	—
Truma Combi water heater/furnace	—	—	—	—	S
Emergency start switch	S	S	-	S	S
Satellite/cable connection	S	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S	S
4.0 KW Onan Microquiet generator	S	S	-	S	_
3.6 KW Onan LP generator	_	_	S	_	_
2.8 KW Onan gasoline generator (Gas Transit only)	_	_	-	_	S
2.5 KW Onan LP generator (Diesel Transit only)	-	_	-	_	S
Automatic generator transfer switch	S	S	s	_	S
Firestone Ride-Rite air helper springs	S	S	_	_	_
Hellwig sway bar	-	5	s		
Water filtration system	S		S	_	s
	-		3		5
Heated, enclosed holding tanks and valves (N/A 2250SLE)	S	S	-	S	_
Arctic Package (12V tank heaters)	0	0	S	0	0
15K BTU A/C with heat pump	0	0	0	0	-
CO ₂ , LP and smoke detector	S	S	S	S	S
Jack digital antenna	S	S	S	S	S
EXTERIOR	SS		MBS	LE	TS
2" Aluminum framed laminated sidewalls	S	S	-	S	—
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls	S —	s —		S —	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate	S — S	S — S		s — s	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass	S — S S	S — S S	— S S S	S — S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation	S — S S S	S — S S S		S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip	S S S S S	S S S S S		S — S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings	S 	S S S S S S S		S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof	S S S S S S S S S	S S S S S S S S S	— S S S S S S S	S S S S S S S	 S S S S S S S
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap	S S S S S S S S S S	S S S S S S S S S S S	— S S S S S S S S S	S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	S S S S S S S S S S S S S	S S S S S S S S S S S S S S		S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap	S S S S S S S S S S	S S S S S S S S S S S	— S S S S S S S S S	S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	S S S S S S S S S S S S S	S S S S S S S S S S S S S S		S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners	S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions	S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S	 S S S S S S S S S S S S S
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S	 S S S S S S S S S S S S S
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light	S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	 S S S S S S S S S S S S S
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards	S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V, GFI protected exterior receptacle	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards	S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows	S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors	S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350)	S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		5 5 5 5 5 5 5 5 5 5 5 5 7 7 7 7 7 7 7 7	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2400R)	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Fiberglass running boards Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2400R) Integrated entry step	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		5 5 5 5 5 5 5 5 5 5 5 5 7 7 7 7 7 7 7 7	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Silde-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2400R) Integrated entry step Power entry step	s s s s s s s s s s s s s s s s s s s s s s s s s s s s s s s s s	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		S S S S S S S S S S S S S S S S S S S	
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Fiberglass running boards Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2400R) Integrated entry step	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	

EXTERIOR	SS	CTS	MBS	15	TS
	S	S	S	LE	S
LP quick connect	<u> </u>	0	3 0		<u> </u>
Full body paint	-	-	-		-
Outside shower Outside 12V LED TV (See floorplans)	S O	S	S O	_	S
Black tank flush	S	S	s		S
CAB AREA	SS		MBS	LE	TS
7" Touch screen radio with USB and Bluetooth	S	S	S	s	_
Cab area privacy curtain	S	S	_	S	s
Magnetic privacy shades	_	_	S	_	_
Ultra leather driver and passenger seats	s	S	S	_	s
Power windows and door locks	S	S	S	s	S
Keyless entry (N/A Chevy)	s	S	S	S	S
Color back-up camera	S	S	S	S	S
Side view cameras	s	S	S	_	S
Removable cab mat	_	_	S	_	_
Swivel driver seat (N/A Chevy, Power)	0	0	S	_	_
Power driver seat (Ford only)	0	0	_	_	
Swivel passenger seat (N/A Chevy)	0	0	S		
KITCHEN	SS		MBS	LE	TS
Recessed 3-burner range with flush glass cover	S	S	S	S	
Range hood with fan and light	S	S	s	s	
Oven IPO drawer	_	_	0	_	_
Microwave oven	S	_	-	s	
Convection microwave	0	S	S		S
6 Cu. ft. double door refrigerator	s	S	s	s	5
12 Cu. ft. four door refrigerator with ice maker	5	5	5	5	
(2860DS, 3010DS, 3050S, 3270S)	ο	_			
Sink covers	s		s	_	
5.3 Cu. ft. lightweight LP/Electric 110V Refrigerator		5	5		S
Raised wood refrigerator panel (N/A 12 cu. ft.)	S	S	S		
Full extension ball bearing drawer guides	s	S	s	s	S
Flip-up countertop extension	S	S	s	s	
BATHROOM	SS	-	MBS	LE	TS
Lightweight composite toilet with hand sprayer	S	S	S	S	S
Glass shower door	s	S	_	_	_
Lightweight Arcadia shower door	_	_	s	s	_
Towel bar, tissue, toothbrush and soap holder	s	S	S	_	S
Electric roof fan	s	S	S	s	S
Shower head with flexible extension	s	S	S	s	S
Shower skylight	s	S	S	s	S
BEDROOM	SS		MBS	LE	TS
Upgraded memory foam mattress	S	S	S	s	S
Bedspread (N/A TS2370)	s	S	s	s	s
Black-out roller shades	S	S	s	s	_
Bedroom TV	0	0	0	_	0
LIVING ROOM	SS		MBS	LE	TS
Dream dinette (N/A with U-shape dinettes)	S	S	S	_	—
Visionary pull out sofa (60" x 74") (3010DS)	S	_	—	_	_
12V LED flat panel adjustable side TV	s	S	s	s	S
Child seat head tethers in dinette	S	S	s	S	_
Maxx Air fan in living room	S	S	S	_	S
LED lighting throughout	S	S	S	s	S
12V USB charging station	S	S	S	_	S
For more information please visit: www.forestriveri	nc.c	om/	sunse	eeke	r

For more information please visit: www.forestriverinc.com/sunseeker 914 CR 1 • Elkhart, In 46514 • 574.262.2212 • 800.445.2825





O: OPTION • S: STANDARD • ---: NOT APPLICABLE



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2018 Sunseeker - a Division of Forest River, Inc. - a Berkshire Hathaway Company 11/18

A Berkshire Hathaway company,

more about Forest River.



www.Forest River Buy Local.com

Your Local Sunseeker Dealer