









WHITE HAWK

BROADEN YOUR HORIZONS

Enjoy twice the expandable space—and the peace of mind—that comes with the industry's sturdiest slideouts. The White Hawk features impressive 36-inch-wide, ram-style slideouts with vacuum-bonded walls, double-bulb seals and a U-channel drip spout over all openings.



SHARE YOUR PHOTOS AND STORIES ON SOCIAL MEDIA WITH #LETSJAYCO














WHITE HAWK

GET MORE, TOW LESS

You won't want for space—or fun—in the 2016 White Hawk. Double-wide slides* pair with premium standards for a top-of-the-line lightweight package. Meanwhile, thoughtfully designed floorplans—including Murphy bed models—make this line an unbeatable value.























WHITE HAWK | 23MRB

Ext. Lgth: 25' 11" Ext. Ht: 129" Unloaded Wt (lbs.): 5,075 Sleeps: 2-4



WHITE HAWK | 24RDB

Ext. Lgth: 26' 10" Ext. Ht: 132" Unloaded Wt (lbs.): 5,295 Sleeps: 3-4



WHITE HAWK | 25BHS

Ext. Lgth: 29' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 5,745 Sleeps: 7-8



WHITE HAWK | 27RBOK

Ext. Lgth: 31' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 5,955 Sleeps: 4-6



WHITE HAWK | 28DSBH OPTION: A

Ext. Lgth: 32' 9" Ext. Ht: 134" Unloaded Wt (lbs.): 6,020 Sleeps: 7-10

OPTIONS:













WHITE HAWK | 24MBH

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 4-6



WHITE HAWK | 24RKS

Ext. Lgth: 28' 9" Ext. Ht: 131" Unloaded Wt (lbs.): 5,210 Sleeps: 4-6



WHITE HAWK | 27DSRL

OPTION: A

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 4-6



WHITE HAWK | 28BHKS OPTION: A

Ext. Lgth: 32' 11" Ext. Ht: 134" Unloaded Wt (lbs.): 6,685 Sleeps: 8-9



WHITE HAWK | 28RBKS OPTION: A

Ext. Lgth: 31' 11" Ext. Ht: 131" Unloaded Wt (lbs.): 6,205 Sleeps: 4-6

FLOORPLAN LEGEND:


S STORAGE

TRAILER HITCH BATHROOM SINK MED MEDICINE CABINET MICRO MICROWAVE OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR WARD WARDROBE



WHITE HAWK | 29MEC OPTION: A, C

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 3-4



WHITE HAWK | 32DSBH OPTION: A

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 9-11



WHITE HAWK | 33RLBS OPTION: A

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 4-6



WHITE HAWK | 29REKS

Ext. Lgth: 33' 9" Ext. Ht: 135" Unloaded Wt (lbs.): 7,025 Sleeps: 4-6



WHITE HAWK | 33BHBS

OPTION: A

OPTION: A. B

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 8-10



WHITE HAWK | 33RSKS

OPTION: A F

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 4-6

WHITE HAWK SPECIFICATIONS

MODELS	DIMENSIONS				WEIGHT (LBS.)				TANKS (GALS.)		
FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT WITH A/C	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
23MRB	25' 11"	96"	129"	78"	5,075	630	6,500	1,425	48	30.5	30.5
24MBH	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD
24RDB	26' 10"	96"	132"	81"	5,295	585	6,750	1,455	48	30.5	30.5
24RKS	28' 9"	96"	131"	81"	5,210	605	6,500	1,290	48	45	30.5
25BHS	29' 5"	96"	131"	81"	5,745	680	7,250	1,505	48	30.5	30.5
27DSRL	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD
27RBOK	31' 5"	96"	131"	81"	5,955	715	7,750	1,795	48	45	30.5
28BHKS	32' 11"	96"	134"	81"	6,685	750	8,500	1,815	48	53	30.5
28DSBH	32' 9"	96"	134"	81"	6,020	655	7,500	1,480	48	45	30.5
28RBKS	31' 11"	96"	131"	81"	6,205	760	7,950	1,745	48	53	30.5
29MEC	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD
29REKS	33' 9"	96"	135"	81"	7,025	755	8,500	1,475	48	61	30.5
32DSBH	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD
33BHBS	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD
33RLBS	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD
33RSKS	TBD	96"	TBD	81"	TBD	TBD	TBD	TBD	TBD	TBD	TBD

 $^{^{\}star}$ The weights of certain options and/or option packages are not included in the UVW listed in the specifications chart.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.


Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GWNR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above.

WE START WITH ONE OF THE INDUSTRY'S STRONGEST foundations

Many competitors modify or weld stock frames, which can weaken the integrity of your foundation. Jayco's custom-manufactured frames offer higher strength and durability.



Norco® NextGen frame: White Hawk features the industry's best strength-to-weight ratio thanks to a Norco NextGen frame made of high-strength, low-alloy sheet steel, Huck® bolts and an interlocking design.

Integrated A-frame: The A-frame runs through the main frame, preventing the hitch from buckling—a common issue in competing tack-welded designs.

Learn more at StrongFoundation.Jayco.com



STANDARDS AND OPTIONS

CUSTOMER VALUE PACKAGE

13,500-BTU A/C

Spare tire and cover

Microwave

6-gallon gas/electric auto-ignition water heater

ABS propane bottle cover

Bath skylight

Outside shower

Oven

Tub surround

Aluminum rims

Power awning with LED light

Power tongue jack

STANDARD EXTERIOR EQUIPMENT

Deluxe graphics package

TuffShell™ vacuum-bonded, laminated side, rear and front walls including slide walls

Magnum Truss™ Roof System with one-piece seamless DiFlex II material

5/8-inch tongue-and-groove, plywood-decked flooring

Fully enclosed underbelly

Norco NextGen frame with integrated A-frame

Frameless G20 dark-tinted windows

30-inch friction-hinged main entry doors

Swing-out grab handle

Exterior TV bracket with 110V and cable outlet

Outdoor camp kitchen (23MRB, 24MBH, 25BHS, 27RBOK, 28RBKS, 28BHKS, 29MEC, 32DSBH, 33RSKS, 33BHBS)

Slam-latch™ on front pass-through storage doors

Marine-grade exterior speakers (2)

Radial tires

Tracker-Wide™ axles with E-Z Lube® axles

Galvanized steel, impact-resistant wheel wells

Slideouts with double seals, barrier sponges and U-channel

Black tank flush system

Utility lighting system—entrance step, baggage compartment, hitch and dump station

30-amp service

Dual 20-pound propane bottles with auto regulator

Solar prep

Stabilizer jacks with sand pads (4)

Detachable power cord

STANDARD INTERIOR EQUIPMENT

Screwed lumbercore cabinet stiles

Overhead cabinetry with etched-glass and bead board inserts

6-cubic-foot (28RBKS and 28BHKS only) or 8-cubic-foot Norcold® refrigerator with magnet-friendly front panels

3-burner, 9,000-BTU range

Crown molding and wood batten strips on ceiling

LED lighting throughout

Tri-fold sofas (excluding 24RKS, 24RDB, 25BHS and Murphy

Large MaxView tinted safety-glass window (60-inch on standard dinettes, 70-inch on U-shaped dinettes)

Booth dinettes with removable storage totes underneath

Plywood dinette, bunk and bed bases

Wood grain accent paneling on select interior walls

60-inch x 80-inch queen beds with built-in storage totes

Jayco-exclusive pillow-top Denver Mattress® with bedspread

Full-height hanging wardrobes with adjustable shelves

Solid wood door enclosures for master bedroom (excluding Murphy bed models)

Jayco-exclusive Denver Mattress bunk mats and fixed bunks

Bathroom medicine cabinets

Porcelain foot-flush toilet

DiamondFlor® vinyl flooring with cold-crack resistance High-output Atwood auto-ignition furnace with

OPTIONS

Customer Value Package with 15,000-BTU A/C

Ledgestone fireplace with 40-inch LED TV (29REKS only)

Entertainment center with fireplace

(29MEC, 33RSKS, 33RLBS)

Kitchen skylight with shade

Solid-surface kitchen countertops

Free-standing table with 4 chairs in place of booth dinette

(N/A 23MRB, 24MBH, 24RKS, 24RDB, 25BHS)

Second 13,500-BTU A/C in rear bedroom (29REKS, 32DSBH, 33BHBS, 33RSKS, 33RLBS)

50-amp service with second A/C prep (29REKS, 32DSBH,

33BHBS, 33RSKS, 33RLBS)

30-pound propane bottles

Glacier Package—Astro-Foil™ insulation added to floor, slide floor and roof

Power stabilizer jacks Front molded cap with LED headlights

(N/A 23MRB, 24MBH, 29MEC)

Chil N' Stor exterior refrigerator

(N/A 23MRB, 24MBH, 29MEC)

Exterior folding table (2 feet x 4 feet) in pass-through storage (N/A 23MRB, 24MBH, 29MEC)

Outside bumper-mount grill

Roof ladder


Power remote control for slides, power awning, awning light and power stabilizer jacks

INTERIOR DÉCOR

COFFEE



TWILIGHT



SHADOW



LET'S JAYCO — AND LEAVE OUR WORRIES BEHIND.



When you go with Jayco, you get one of the industry's strongest frames and rock-solid construction.

- **1. Walls are vacuum-bonded** for 15-18 minutes using 144 tons of pressure to ensure a strong bond
- 2. Seamless DiamondFlor vinyl, laid over a 5/8-inch tongueand-groove plywood floor deck, stands up to family foot traffic and withstands cold, cracks and scratches
- 3. Lightweight materials and aerodynamic profile for easier towing

- **4. Extra-wide corner seals** on doors and windows to prevent leaks
- **5. Magnum Truss™ Roof System** withstands 4,500 pounds—50 percent more than other roofs
- 6. 3/8 inch roof decking secured at every seam
- One-piece, sidewall-wrapped DiFlex II material provides the ultimate in leak protection



Generations of family fun.





Travel with confidence, with our industry-leading, bumper-to-hitch limited warranty and a year's access to Coach-Net[™]—the country's largest RV emergency road service.

For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer.

Meet your Jayco Dealer

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

CCO advantage

Jayco's long-term commitment to generations of family fun

After four years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet.

Learn more at Jayco.com/EcoAdvantage

Follow Jayco

