

Hybrid Camping Trailers





0

Arres .





Presenting the all new 2012 Viking Hybrid Camping Trailer. Rebuilt from the ground up in ways you can see – new aerodynamic styling for ease of towing, full width stone guard to protect your investment, and radial tires for the safety you need and desire. These are but a few of the new features you will enjoy with your new Viking!

Features You Can't Live Without





New E-Z One-Hand Swing Level Galley (Legends and V1)





Optional Sony® AM/FM/CD Stereo with MP3 Hook Up



Exterior Utility Shelf

NEW One-Piece Entry Door The one-piece door features a panel that allows finite adjustment for air and sunlight. (N/A LS Series)





E-Z Swing Stepper Door







Optional Dometic[®] 3-Way Refrigerator



Optional Modular Cassette Potti with Electric Flush



Retractable Clothes Bar (Legends and V-Trec)



Dura Tuff Roof

- A. One Piece Seamless Skin
- **B.** Dura Tuff Wood Protective Layer No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

A

VIKING WIDE TRAC

COMPETITORS

C. Foam Roof Structure

- **D. Steel Reinforced Wood Frame** The roof is framed with steel supports to accept A/C on all models without extra reinforcement.
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

D

C

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with powdercoat protection
- More storage inside

Roof Side Z-Rail Channels water away.

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.
- Roof's Outside Skin

1

4

2

- 2. Body's Outside Skin
- 3. Water Tight Seal
- Z-Rail channels water away from wood

1-1/4" Lighter = Easy Cycle **More Rigid Laminated** Insulated Bunkend (N/A 1706 LS)

- Double the industry standard thickness
- Solid wood, steel reinforced frame filled with 1" thick high density foam and laminated with wood panel on top and bottom
- Yields a more stable bedend vs. chipboard or spliced plywood used by other brands
- Insulation improves comfort and warmth

Optional 20M BTU Suburban® Furnace with forced air, electronic ignition and thermostat control. Largest heating capacity of any folding camper.



1-¼" Laminated Insulated Bunkend

4th E-Z Sleep Quilted Mattress



Competition

5/8" Plywood

Cold Outside Air

VIKING FEATURES

Cold Outside Air



out the beds until they lock into place. No more awkward poles to contend with! (N/A 1706 LS)

Goshen Stamping doublewide lifter post with limited lifetime warranty

(N/A 1706 LS)

Aluminum wheels (Standard on Legend & V-Trec)



improved safety.

LS Series



Epic Series







2108 ST



<u></u> LOUNGE KING SIZE 1 1/4" INSULATED BUNK KING SIZE 1 1/4" INSULATED BUNK SEATING W/STORAGE 38 x 70 Dinette In/Out Table SEATING N/STORAGE RAGE STOR

.

STORAGE

SEATIN W/STOR IN/OUT TABLE 42 x 80 U DINETTE

SEATING - na AGE

SEATING W/STORAGE IN/OUT TABLE 38 x 64 DINETTE

SEATING N/STORAGI

STORAG

KING SIZE 1 1/4" INSULATED BUNK

2407 ST

Limited Warranty

- Lift System Lifetime
- Vinyl Tent 5 years
- Roll Out System 5 years
- Frame 5 years
- Roof Assembly 5 years
- AL-KO[®] Ultralube Spring Axle 1 year
- AL-KO[®] Ultralube Rubber Suspension Axle - 5 years
- Refrigerator 3 years
- Plumbing System 10/25 years
- Electronic Converter- 2 years
- Roof Exterior 2 years







QUEEN SIZE 1 1/4" INSULATED BUNK

Standard Features

LS | E | L | V

LS | E | L | V

LS | E | L | V

				Cable Bed Supports (N/A 1706 LS)				-	INTERIOR				
		-		Pole Bed Supports (1706 LS Only)					Quilted 4" Mattress				
				E-Z Glide Rollout Bunk System					4" Cushions				
		-		Outside Shelf					Lined Side Drapes				1
		-		Under Floor 23 Gallon Water Tank					One Hand E-Z Swing Over Galley w/Drawer				1
						-	-	-			_	_	
				(Only on 2407 ST & 2485 SST)				-	3-Burner Range (2 Burner on LS Series & 1906/1906 ST Models)	-	-		
				() ,				-	Deep Bowl Sink				I
				(12 AMP on 1706 LS)					Inside/Outside Table				1
			_	Exterior 120 Volt GFI Protected Outlet					Radius Edge Hi-Pressure Countertop				
				Patio Light				•	Roll-Out Dinette w/Light				
				SST-Super Sliding Storage Compartment									
				(2485 SST Only) (V1 Option)					, , ,		_		
				Exterior Storage Access Door									
						-	-	-					
								-	5 5				
					_	_	_	-		-			_
		-							(Only on 2485 SST & V3 Models)				
		-		Durable / Wire Connection				-					
		-											
LS	E	L	V		LS	E	L	V		LS	E	L	
				Hot Water System w/Spray Away (Std. on 2485 SST & V1)									
				Electric Brakes (Opt. on 1706 LS & 2109 LS					1				
					+						_	_	
				, , ,	+	_							
				Double Bottle Cover & Ring	-				3-Way Dometic® Refrigerator (1.9 Cu. Et 1.5		-	-	
		Image: state	Image: Constraint of the sector of the se	Image: Constraint of the second se	Pole Bed Supports (1706 LS Only) E-Z Glide Rollout Bunk System Outside Shelf Under Floor 23 Gallon Water Tank (N/A on1906/1906 ST Models) Hot Water System w/Built-in Shower (Only on 2407 ST & 2485 SST) Z5 AMP Converter w/Battery Charger (12 AMP on 1706 LS) Exterior 120 Volt GFI Protected Outlet Patio Light SST-Super Sliding Storage Compartment (2485 SST Only) (V1 Option) Exterior Storage Access Door (N/A on 1906, 2107 & 2406) Fantastic Power Roof Vent Lined Bedend Privacy Curtains & Valances Seamless HD Polyethylene Wheel Wells Durable 7 Wire Connection Hot Water System w/Spray Away (Std. on 2485 SST & V1) Electric Brakes (Opt. on 1706 LS & 2109 LS & Std. on 2308 LS, Epic, Legend and V-Trek Models.) Screenroom w/Privacy Flaps Single Bottle Cover	Pole Bed Supports (1706 LS Only) E-Z Glide Rollout Bunk System Outside Shelf Under Floor 23 Gallon Water Tank (N/A on1906/1906 ST Models) Hot Water System w/Built-in Shower (Only on 2407 ST & 2485 SST) Z5 AMP Converter w/Battery Charger (12 AMP on 1706 LS) Exterior 120 Volt GFI Protected Outlet Patio Light SST-Super Sliding Storage Compartment (2485 SST Only) (V1 Option) Exterior Storage Access Door (N/A on 1906, 2107 & 2406) Fantastic Power Roof Vent Lined Bedend Privacy Curtains & Valances Seamless HD Polyethylene Wheel Wells Durable 7 Wire Connection Hot Water System w/Spray Away (Std. on 2485 SST & V1) Electric Brakes (Opt. on 1706 LS & 2109 LS & Std. on 2308 LS, Epic, Legend and V-Trek Models.) Screenroom w/Privacy Flaps Single Bottle Cover	Image: State Set Supports (I) /I from ES) Pole Bed Supports (1706 LS Only) E-Z Glide Rollout Bunk System Outside Shelf Under Floor 23 Gallon Water Tank (N/A on1906/1906 ST Models) Hot Water System w/Built-in Shower (Only on 2407 ST & 2485 SST) Z5 AMP Converter w/Battery Charger (12 AMP on 1706 LS) Exterior 120 Volt GFI Protected Outlet Patio Light SST-Super Sliding Storage Compartment (2485 SST Only) (V1 Option) Exterior Storage Access Door (N/A on 1906, 2107 & 2406) Fantastic Power Roof Vent Lined Bedend Privacy Curtains & Valances Seamless HD Polyethylene Wheel Wells Durable 7 Wire Connection Hot Water System w/Spray Away (Std. on 2485 SST & V1) Electric Brakes (Opt. on 1706 LS & 2109 LS & Std. on 2308 LS, Epic, Legend and V-Trek Models.) Screenroom w/Privacy Flaps Single Bottle Cover	Image: State Dec Supports (I/I/ I/ 00 ES) Pole Bed Supports (1706 LS Only) E-Z Glide Rollout Bunk System Outside Shelf Under Floor 23 Gallon Water Tank (N/A on1906/1906 ST Models) Hot Water System w/Built-in Shower (Only on 2407 ST & 2485 SST) Z S AMP Converter w/Battery Charger (12 AMP on 1706 LS) Exterior 120 Volt GFI Protected Outlet Patio Light SST-Super Sliding Storage Compartment (2485 SST Only) (V1 Option) Exterior Storage Access Door (N/A on 1906, 2107 & 2406) Fantastic Power Roof Vent Lined Bedend Privacy Curtains & Valances Seamless HD Polyethylene Wheel Wells Durable 7 Wire Connection Lined Bedend Privacy Curtains & Valances Durable 7 Wire Connection Hot Water System w/Spray Away (Std. on 2308 LS, Epic, Legend and V-Trek Models.) Screenroom w/Privacy Flaps Single Bottle Cover	Image: State State Supports (1706 LS Only) Image: Supports (1706 LS Only) Image: State State Supports (1706 LS Only) Image: Supports (1706 LS Only) Image: State Stat	Image: Control of the context of th	Image: Control of the content of th	Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State Supports (170 A rot supports) Image: State	Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Only) Image: Control of a subport (170 ELS Control of a subport (170 ELS Control of a subport (170 ELS Control of a subport (170

(Opt. on 2107, 2108 ST & 2407 ST) Hot Water System w/Outside Shower (Opt. on 1906 ST, 2107, 2108 ST, 2406 & 2308 ST)

E = Epic

LS = LS Series

Sofa Bed

Coupler Ball Size

Hot Water System w/Spray Away (Std. on 2485 SST & V1)Image: Constraint of the system w/Spray Away (Std. on 2485 SST & V1)Electric Brakes (Opt. on 1706 LS & 2109 LS & Std. on 2308 LS, Epic, Legend and V-Trek Models.)Image: Constraint of the system Single Bottle CoverScreenroom w/Privacy FlapsImage: Constraint of the system Single Bottle Cover & Ring (Std. on V1 & V3)Image: Constraint of the system Hanging Storage CabinetBed End Light w/Fan (N/A on LS Series Models)Image: Constraint of the system Single Storage Cabinet			
& Std. on 2308 LS, Epic, Legend and V-Trek Models.) Image: Comparison of the comparison of t			
Single Bottle Cover Image: Cover & Ring Double Bottle Cover & Ring Image: Cover & Ring (Std. on V1 & V3) Image: Cover & Ring Hanging Storage Cabinet Image: Cover & Ring Bed End Light w/Fan Image: Cover & Ring	& Std. on 2308 LS, Epic, Legend and V-Trek		
Double Bottle Cover & Ring (Std. on V1 & V3) Image: Cover & Ring Hanging Storage Cabinet Image: Cover & Ring Bed End Light w/Fan Image: Cover & Ring	Screenroom w/Privacy Flaps		ſ
(Std. on V1 & V3) Hanging Storage Cabinet Bed End Light w/Fan	Single Bottle Cover		ſ
Bed End Light w/Fan			
	Hanging Storage Cabinet		

= Available

		_							
			Ultra Comfort Heated Mattress System (Opt. on 1906 & 1906 ST, Std. on Remaining				-		
			Epic, Legend and V-Trek Models)						
			Power Lift						
			A/C Wiring Kit				•		
Р			Sony AM/FM CD Player w/Exterior Speakers						
1			(Std. on V1 & V3)						
1			3-Way Dometic® Refrigerator (1.9 Cu. Ft. LS & Epic, 2.5 Cu. Ft. Legend & V3)						
1			20,000 BTU Furnace						
1			Awning						
			Spare Tire, Carrier and Cover						
	_ =	= New Feature = Standard Run Option							

2406

12'

16'2"

85"

58"

24'5"

6' 10"

7

70 X 80

70 X 80

38 X 70

2"

2407 51

12'

18' 3"

85"

58"

24' 5"

6' 10"

7

70 X 80

70 X 80

38 X 70

2"

2485551

Legend

12'

18' 5"

85"

55"

24' 5"

6'10"

6 70 X 80

70 X 80

45 X 73

N/A

N/A

ST175/80R13

5 Bolt D

282/128

2403/1090

2702/1226

800/363

3502/1588

2"

2108 51 1906 51 170615 210915 230815 2308 51 1906 2107 **Specifications** LS Models Epic **Interior Box Size** 12' 8.5' 8.5' 8' 10' 10' 10' 12' **Travel Length** 12' 2" 14' 2" 16' 2" 12' 8" 14' 10' 14' 2" 16' 4" 18'3" **Travel Width** 85" 85" 85" 85" 85" 85" 85" 85" **Travel Height** 54" 58" 58" 56" 56" 58" 58" 58" 19'11" 17' 11" 20' 9" **Interior Open Length** 16'11" 22' 5" 17'11" 20' 5" 23' 5" 6' 10" **Interior Open Height** 6' 10" 6'10" 6' 10" 6' 10" 6' 10" 6' 10" 6' 10" **Sleeping Capacity** 6 6 8 6 6 7 7 8 **Front Sleeping Area** 48 X 80 54 X 80 58 X 80 54 X 80 54 X 80 58 X 80 58 X 80 70 X 80 54 X 80 48 X 80 48 X 80 **Rear Sleeping Area** 48 X 80 58 X 80 54 X 80 58 X 80 58 X 80 **Dinette Area** 38 X 64 38 X 70 38 X 64 38 X 64 38 X 64 38 X 70 38 X 70 38 X 64 "U" Dinette N/A N/A 42 X 80 N/A N/A N/A N/A 42 X 80 Lounge Area

V = V-Trec

N/A N/A N/A N/A N/A N/A N/A 80" N/A N/A 80" N/A N/A N/A N/A N/A N/A N/A 34 X 76 N/A N/A 34 X 70 **Radial Tire Size** 4.80 X 12 4.80 X 12 ST175/80D13 ST145R12 ST145R12 ST145R12 ST175/80R13 ST175/80R13 ST175/80R13 ST175/80D13 5 Bolt D 4 Bolt C 5 Bolt D **Tire Load Range** 4 Bolt C 4 Bolt C 4 Bolt C 4 Bolt C 5 Bolt D 5 Bolt D 5 Bolt D Hitch Weight # (approx.), (lbs./Kg) 120/55 161/73 223/101 116/53 184/83 171/78 187/85 191/87 243 / 110 245/111 Axle Weight # (approx.), (lbs./Kg) 1138/517 1448 / 657 1859/843 1338 / 607 1381 / 627 1448/657 1667 / 756 1859/843 1722 / 781 1913 / 868 Dry Weight # (approx.), (lbs./Kg) ** 1305/591 1593/722 1758/797 1503/682 1651/749 1740/789 1863/845 2154/977 1982/899 2199/997 Cargo Capacity # (approx.), (lbs./Kg) 778/353 751/340 948/430 813/369 733/332 631/286 824/374 1257/570 761/345 1266/574 GVWR (lbs./Kg) 2098 / 952 2400 / 1089 3464 / 1571 2096 / 951 2200/999 2400 / 1089 2702 / 1227 3464 / 1571 2743 / 1244 3481 / 1579

2"

2"

2"

2"

2"

* Dry Weight is the total weight of the standard unit (hitch + axle) without optional equipment and empty tanks.

2"

2″

2"

L = Legend

V-Trec

Heavier Duty Than Other Folding Campers!

Specs	V1	V3
Interior Box Size	10'	12'
Travel Length	16'9"	21' 4"
Travel Width	85"	85"
Travel Height	65"	65"
Interior Open Length	20'5"	24' 5"
Interior Open Height	6' 10"	6' 10"
Sleeping Capacity	6	6
Front Sleeping Area	58 X 80	70 X 80 📍
Rear Sleeping Area	58 X 80	70 X 80
Dinette Area	38 X 70	45 X 73
"U" Dinette	N/A	N/A
Lounge Area	N/A	N/A
Sofa Bed	N/A	N/A
Radial Tire Size	LT235/75R15	LT235/75R15
Tire Load Range	5 Bolt C	5 Bolt C
Hitch Weight # (approx.), (lbs./Kg)	252/114	420/191
Axle Weight # (approx.), (lbs./Kg)	1981/899	2700/1225
Dry Weight # (approx.), (lbs./Kg) **	2233/1013	3065/1390
Cargo Capacity # (approx.), (lbs./Kg)	1519/689	1325/601
GVWR (lbs./Kg)	3752/1702	4380/1987
Coupler Ball Size	2-5/16"	2-5/16"



• 5" Tube Frame • 4000 Lb. Torsion Axle for Heavy Cargo Capacity Reinforced Diamond Plate Front Deck

V-Trec Series





Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- I) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



www.vikingrv.com

269.467.6321

Viking Recreational Vehicles A Forest River Company 580 West Burr Oak Street P.O. Box 549 Centreville, MI 49032

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Viking reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Viking dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



See your Viking Dealer for a complete list of parts and accessories.